INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7:

C12N 15/31, 15/63, 15/67, 15/70, 15/74, 15/80, 15/82, 15/85, 15/11, 9/90, 1/19, 1/21, 5/10, C07K 14/37, A01K 67/027

(11) International Publication Number:

WO 00/32785

(43) International Publication Date:

8 June 2000 (08.06.00)

(21) International Application Number:

PCT/IT99/00391

A1

(22) International Filing Date:

29 November 1999 (29.11.99)

(30) Priority Data:

RM98A000730

30 November 1998 (30.11.98) IT

(71) Applicant (for all designated States except US): UNIVERSITA' DEGLI STUDI DI ROMA "LA SAPIENZA" [IT/IT]; Piazzale Aldo Moro, 5, I-00185 Roma (IT).

(72) Inventors; and

- (75) Inventors/Applicants (for US only): MACINO, Giuseppe [IT/IT]; Policlinico Umberto I, Università Degli Studi Di Roma "La Sapienza", Dipartimento Biotecnologie Cellulari ed Ematologia, Viale Regina Elena, 324, I-00161 Roma (IT). COGONI, Carlo [IT/IT]; Policlinico Umberto I, Università Degli Studi Di Roma "La Sapienza", Dipartimento Biotecnologie Cellulari ed Ematologia, Viale Regina Elena, 324, I-00161 Roma (IT).
- (74) Agents: BANCHETTI, Marina et al.; Ing. Barzanò & Zanardo Roma S.p.A., Via Piemonte, 26, I-00187 Roma (IT).

(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published


With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: ISOLATION AND CHARACTERIZATION OF A N. CRASSA SILENCING GENE AND USES THEREOF

(57) Abstract

A nucleotide sequence encoding for a protein characterized in that it has a silencing activity and comprises a recQ helicase domain is disclosed; furthermore expression vectors suitable for the expression of said sequence in bacteria, plants, animals and fungi are disclosed; the invention refers also to organisms transformed by such vectors.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

BJ Benim IE Ireland MN Mongolia UA Ukraine BR Brazil IL Israel MR Mauritania UG Uganda BY Belarus IS Iceland MW Malawi US United S CA Canada IT Italy MX Mexico UZ Uzbekis CF Central African Republic JP Japan NE Niger VN Viet Na CG Congo KE Kenya NL Netherlands YU Yugosla	
AU Australia GA Gabon LV Latvia SZ Swazilat AZ Azerbaijan GB United Kingdom MC Monaco TD Chad BA Bosnia and Herzegovina GE Georgia MD Republic of Moldova TG Togo BB Barbados GH Ghana MG Madagascar TJ Tajikista BE Belgium GN Guinea MK The former Yugoslav TM Turkmer BF Burkina Faso GR Greece Republic of Macedonia TR Turkey BG Bulgaria HU Hungary ML Mali TT Trinidad BJ Benin IE Ireland MN Mongolia UA Ukraine BR Brazil IL Israel MR Mauritania UG Uganda BY Belarus IS Iceland MW Malawi US United S CA Canada IT Italy MX Mexico UZ Uzbekis CF Central African Republic JP Japan NE Niger VN Viet Nat CG Congo KE Kenya NL Netherlands YU Yugosla	
AU Australia GA Gabon LV Latvia SZ Swazilar AZ Azerbaijan GB United Kingdom MC Monaco TD Chad BA Bosnia and Herzegovina GE Georgia MD Republic of Moldova TG Togo BB Barbados GH Ghana MG Madagascar TJ Tajikista BE Belgium GN Guinea MK The former Yugoslav TM Turkme BF Burkina Faso GR Greece Republic of Macedonia TR Turkey BG Bulgaria HU Hungary ML Mali TT Trinidad BJ Benin IE Ireland MN Mongolia UA Ukraine BR Brazil IL Israel MR Mauritania UG Uganda BY Belarus IS Iceland MW Malawi US United S CA Canada IT Italy MX Mexico UZ Uzbekis CF Central African Republic JP Japan NE Niger VN Viet Nat CG Congo KE Kenya NL Netherlands YU Yugosla	
BA Bosnia and Herzegovina GE Georgia MD Republic of Moldova TG Togo BB Barbados GH Ghana MG Madagascar TJ Tajikista BE Belgium GN Guinea MK The former Yugoslav TM Turkmet BF Burkina Faso GR Greece Republic of Macedonia TR Turkey BG Bulgaria HU Hungary ML Mali TT Trinidad BJ Benin IE Ireland MN Mongolia UA Ukraine BR Brazil IL Israel MR Mauritania UG Uganda BY Belarus IS Iceland MW Malawi US United S CA Canada IT Italy MX Mexico UZ Uzbekis CF Central African Republic JP Japan NE Niger VN Viet Na CG Congo KE Kenya NL Netherlands YU Yugosla	.d
BB Barbados GH Ghana MG Madagascar TJ Tajikista BE Belgium GN Guinea MK The former Yugoslav TM Turkme BF Burkina Faso GR Greece Republic of Macedonia TR Turkey BG Bulgaria HU Hungary ML Mali TT Trinidad BJ Benin IE Ireland MN Mongolia UA Ukraine BR Brazil IL Israel MR Mauritania UG Uganda BY Belarus IS Iceland MW Malawi US United S CA Canada IT Italy MX Mexico UZ Uzbekis CF Central African Republic JP Japan NE Niger VN Viet Na CG Congo KE Kenya NL Netherlands YU Yugosla	
BB Barbados GH Ghana MG Madagascar TJ Tajikista BE Belgium GN Guinea MK The former Yugoslav TM Turkmet BF Burkina Faso GR Greece Republic of Macedonia TR Turkey BG Bulgaria HU Hungary ML Mali TT Trinidad BJ Benin IE Ireland MN Mongolia UA Ukraine BR Brazil IL Israel MR Mauritania UG Uganda BY Belarus IS Iceland MW Malawi US United S CA Canada IT Italy MX Mexico UZ Uzbekis CF Central African Republic JP Japan NE Niger VN Viet Na CG Congo KE Kenya NL Netherlands YU Yugosla	
BE Belgium GN Guinea MK The former Yugoslav TM Turkmer BF Burkina Faso GR Greece Republic of Macedonia TR Turkey BG Bulgaria HU Hungary ML Mali TT Trinidad BJ Benin IE Ireland MN Mongolia UA Ukraine BR Brazil IL Israel MR Mauritania UG Uganda BY Belarus IS Iceland MW Malawi US United S CA Canada IT Italy MX Mexico UZ Uzbekis CF Central African Republic JP Japan NE Niger VN Viet Na CG Congo KE Kenya NL Netherlands YU Yugosla	n
BG Bulgaria HU Hungary ML Mali TT Trinidad BJ Benin IE treland MN Mongolia UA Ukraine BR Brazil IL Israel MR Mauritania UG Uganda BY Belarus IS Iceland MW Malawi US United S CA Canada IT Italy MX Mexico UZ Uzbekis CF Central African Republic JP Japan NE Niger VN Viet Na CG Congo KE Kenya NL Netherlands YU Yugosla	
BG Bulgaria HU Hungary ML Mali TT Trinidad BJ Benim IE Ireland MN Mongolia UA Ukraine BR Brazil IL Israel MR Mauritania UG Uganda BY Belarus IS Iceland MW Malawi US United S CA Canada IT Italy MX Mexico UZ Uzbekis CF Central African Republic JP Japan NE Niger VN Viet Na CG Congo KE Kenya NL Netherlands YU Yugosla	
BJ Benin IE Ireland MN Mongolia UA Ukraine BR Brazil IL Israel MR Mauritania UG Uganda BY Belarus IS Iceland MW Malawi US United S CA Canada IT Italy MX Mexico UZ Uzbekis CF Central African Republic JP Japan NE Niger VN Viet Na CG Congo KE Kenya NL Netherlands YU Yugosla	and Tobago
BR Brazil IL Israel MR Mauritania UG Uganda BY Belarus IS Iceland MW Malawi US United S CA Canada IT Italy MX Mexico UZ Uzbekis CF Central African Republic JP Japan NE Niger VN Viet Na CG Congo KE Kenya NL Netherlands YU Yugosla	
BY Belarus IS Iceland MW Malawi US United S CA Canada IT Italy MX Mexico UZ Uzbekis CF Central African Republic JP Japan NE Niger VN Viet Na CG Congo KE Kenya NL Netherlands YU Yugosla	
CA Canada IT Italy MX Mexico UZ Uzbekis CF Central African Republic JP Japan NE Niger VN Viet Na CG Congo KE Kenya NL Netherlands YU Yugosla	tates of America
CF Central African Republic JP Japan NE Niger VN Viet Na: CG Congo KE Kenya NL Netherlands YU Yugosla	
CG Congo KE Kenya NL Netherlands YU Yugosla	
CH Switzerland KG Kyrgyzstan NO Norway ZW Zimbab	
CI Côte d'Ivoire KP Democratic People's NZ New Zealand	
CM Cameroon Republic of Korea PL Poland	
CN China KR Republic of Korea PT Portugal	
CU Cuba KZ Kazakstan RO Romania	
CZ Czech Republic LC Saint Lucia RU Russian Federation	
DE Germany LI Liechtenstein SD Sudan	
DK Denmark LK Sri Lanka SE Sweden	
EE Estonia LR Liberia SG Singapore	

Isolation and characterization of a N. CRASSA silencing gene and uses thereof

The present invention relates to the isolation and characterization of a Neurospora crassa gene encoding for an essential activity in the co-suppression process and to uses and applications thereof in vegetal, animal and fungine fields.

10

15

20

30

The production of transgenic organisms is of large utility both in basic and applied biological research. The transgenic DNA is usually integrated in the genome and transferred as a Mendelian character. However, in various instances, the transgene introduction induces gene silencing phenomena (Flavell, R.B. 1994), i.e. the repression of the expression of the transgene itself and/or of one or more endogenous homologous genes.

The gene silencing can act at. two levels: transcriptional (trans-inactivation) where transgenes homologous contain sequences to the silenced promoter (Vaucheret, 1993); and post-transcriptional (cosuppression) which requires homologies between coding regions (Flavell, 1994; Stam et al., 1997; Baulcombe, 1996).

Generally the silencing induced by a transgene requires an almost complete sequence homology (from 70% to 100%) between transgene and silenced gene sequences (Elkind, 1990).

In the Neurospora crassa filamentous fungus, during the vegetative phase, the presence of transgenes induces a post-transcriptional gene silencing phenomenon, named "quelling" (Cogoni et al., 1996).

By using the al-1 gene (albino 1) (Schmidhauser et al., 1990) as silencing visual marker, many features of the phenomenon have been discovered (Cogoni et al., Particularly the al-1 "quelling" 1996). gene Neurospora is characterized in that: 1) the silencing is reversible further to the loss of transgene copies; 2) the reduction of mRNA basal level results from a post-transcriptional effect; 3) transgenes containing at least a region of 132 base pairs which is identical to the region encoding for the target gene are sufficient to induce the "quelling"; 4) the duplication of promoter sequences is ineffective to induce the silencing; 5) the "quelling" exhibits a dominant behavior in eterocarions containing both transgenic and untransformed nuclei, indicating the involvement of a molecule which is acts "in trans" among the nuclei; 6) the expression of an aberrant RNA transcribed by the transgenic locus strictly correlated to silencing, suggesting that the "quelling" can be induced and/or mediated by a transgenic RNA molecule.

5

10

15

20

25

30

Therefore homologies between *Neurospora* silencing and plant co-suppression can be pointed out. The gene silencing in *Neurospora* is reversible, as result of transgenic copies instability during mitotic phase; in plants also the co-suppression reversion is associated with the reduction of transgene copy number, resulting from intra-chromosomal recombination during mitosis or meiosis (Mittelstein Scheid et al., 1994; Stam et al., 1998). Thus both in plants and in *Neurospora* the transgene presence is required to maintain the silencing. As in *Neurospora*, a decrease of the mRNA basal level of the silenced gene results from a post-transcriptional

mechanism (Dehio and Schell 1994; van Blokand et al., 1994; de Carvalho et al., 1995). Furthermore to induce the "quelling", transgenes must contain a portion of the silencing target gene coding sequence, being the promoter region ineffective. In plants coding regions with no promoter sequences can induce silencing (van Blokand et al., 1994) and, as in the "quelling", promoters or functionally active gene products are not required for the co-suppression.

5

10

15

20

25

30

One of the similarities between "quelling" and cosuppression in plants is that both mechanisms diffusion mediated by factors. In Neurospora eterokaryotic strains, nuclei wherein the albino-1 gene is silenced are able to induce the al-1 gene silencing of the other not transformed nuclei, all sharing the same cytoplasmic environment (Cogoni et al., 1996). In plants the presence of a diffusion factor results from the fact that the co-suppression is effective in inhibiting the replication of Tobacco Etch Virus (TEV), a RNA virus with exclusively cytoplasmic cycle. The occurrence of highly diffusible factors, which are effective to mediate the co-suppression, has been demonstrated using grafting technique in tobacco (Palaqui et al., 1997), showing that silenced tobacco plants are able to transfer the silencing to non-silenced plants through grafting.

The fact that "quelling" and co-suppression share all these features suggests that mechanisms involved in post-transcriptional gene silencing in plants and in fungi can be evolved by an ancestral common mechanism.

Recently gene inactivation phenomena resulting from transgene introduction have been disclosed in animals. In Drosophila melanogaster the location of a transgene close

heterochromatic centers results in a variegate to expression (Wallrath and Elgin, 1995; Pirrotta, V., 1997). Similar expression profiles have been observed when the reference transgene is within tandem arrayed transposons, indicating that tandem repeats are effective chromatin induce the condensation. (Dorer and to Henikoff, 1994). Again in Drosophila Pal-Bhadra et al. (1997) have observed that the transgene introduction can lead to gene inactivation phenomena, similar to the cosuppression.

5

10

15

20

25

30

Gene silencing phenomena resulting from transegene sequence repeats have been disclosed recently in mammalians.

Garrick et al. (1998) produced mouse transgenic lines wherein 100 transgenic copies are present only in a locus and are directly tandem arrayed. The transgene has been disclosed be expression to inversely . number of occurring proportional to the copies, indicating that silencing phenomena dependent on repeat copies are present also in mammalians.

Therefore the identification of *Neurospora* genes which are involved in the silencing is the first step to modulate the same process in plants, animals and fungi. The silencing modulation is of great relevance when transgenic organisms able to express the desired phenotype are produced.

The authors of the present invention have already isolated Neurospora crassa strains having mutations essential functions for gene silencing regarding mechanism (Cogoni and Macino, 1997); 15 independent isolated mutants define three complementation groups, thus identifying the qde-1, qde-2 and qde-3 genes (qde

stands for "quelling"-deficient), whose products are essential to the silencing machinery. qde genes are essential to the *Neurospora* silencing, as suggested by the fact that silencing of three independent genes (al-1, al-2) and (al-2) is impaired by (al-1) and (al-2) is impaired by (al-1) and (al-2) is impaired by (al-1) and (al-2) is impaired by (al-2) is impaired

5

10

15

20

25

30

The authors of the invention have identified and cloned now one out of *Neurospora qde* genes, thus identifying one of required factors for silencing. By considering the similarity between "quelling" and cosuppression, genes orthologous to the isolated gene are involved in co-suppression and more generally in gene silencing in other organisms, like plants, fungi and animals.

The present invention can be applied with reference to two general scope: 1) silencing potentiation as a tool for inactivating more effectively and durably a desired gene, and 2) silencing suppression to obtain a better expression of the introduced transgenes.

silencing potentiation, the the to genes or more controlling expression of one phenomenon can lead to higher efficiency and/or stability thereof. Therefore the introduction of qde-3 gene or of homologous genes thereof in microorganisms can constitute a tool to repress more effectively gene functions. Particularly this approach is specially useful in plants wherein the co-suppression is usually used for the "knock-out" of gene functions. In plants again the gene silencing potentiation can be used to obtain lines resistant to pathogen virus, by introducing transgenes encoding for viral sequences, in order to achieve the

expression inhibition of the virus itself (Flavell et al., 1994).

Analogous applications are suitable for animals, wherein some indications suggest that silencing can inhibit the suitable expression of introduced transgenes (Garrick et al., 1998).

5

10

15

20

25

30

On the contrary, there are instances wherein it is desirable not to have or to reduce the gene silencing, i.e. where a transgene is to be over-expressed. It is known that the co-suppression is strictly correlated both with the presence of an high copy number transgene, and with a transgene high expression. correlation can hamper the production of transgenic organisms which express a transgene at high levels, because more high is the expression and/or the copy number, more probable is to evoke silencing responses. As analogous mechanisms of mentioned, above inactivation, dependent on a high copy number, have been disclosed in animals. In these circumstances plant or animal lines, totally or partially ineffective silencing, constitute an ideal recipient wherein the desired gene can be over-expressed. The invention can be applied within this scope using different approaches:

A) Identification and production of mutant lines in genes homologous to qde-3 gene, in plants, animals and fungi.

The knowledge of Neurospora qde-3 gene, essential for silencing mechanism, can allow the isolation of organisms, mutated mutant lines in other in genes gde-3. For example by means homologous to amplifications using degenerated primers, designed from the most conserved regions of qde-3 gene, mutant lines in

homologous genes can be identified, by analysis of insertion mutant gene banks, already available for many plant species. Both in fungi and animals such mutants can be obtained, following the identification of the homologous gene, by means of "gene disruption" techniques using homologous recombination.

B) Reduction of qde-3 gene expression

5

10

15

20

2.5

30

Other strategies for the production of silencing-deficient lines comprise the use of Neurospora qde-3 gene or homologous genes thereof. qde-3 or homologous genes can be introduced into suitable expression vectors to express them in an anti-sense orientation in order to inhibit the expression of resident endogenous genes. Alternatively portions of qde-3 or of homologous genes can be over-expressed, in order to obtain a negative dominant effect and thus blocking the function of qde-3 endogenous genes.

The authors of the present invention have cloned and characterised the Neurospora crassa qde-3 gene. The sequence analysis showed that qde-3 gene belongs to a highly conserved gene family, from E. coli to humans, named recQ. Genes belonging to this family encode for DNA helicase, as demonstrated by in vitro assays (Gray et al., 1997). The recQ helicase family is involved in recombinant processes. Mutations of these genes produce iper-recombinant phenotypes as, for example, the S. cerevisiae Sgs-1 gene involved both in meiotic and mitotic recombination.

The authors of the invention for the first time have demonstrated that a gene encoding for a recQ DNA-helicase is involved in gene silencing induced by transgenes. Therefore for the first time it is disclosed

that a gene belonging to the *recQ* family, other than acts during recombination, is also an essential component of the inactivation of repeat sequences.

Therefore it is an object of the invention a nucleotide sequence encoding for a protein characterized in having a silencing activity and comprising a recQ helicase domain, wherein the domain is at least 30% homologous with the amino acid sequence from aa. 897 to aa. 1330 of SEQ ID No.1. More preferably said homology is of at least of 60%. Most preferably the recQ helicase domain comprises the amino acid sequence from aa. 897 to aa. 1330 of SEQ ID No.1. According to a particular embodiment the nucleotide sequence encodes for a protein having the amino acid sequence of SEQ ID No. 1, or functional portions thereof. Even more preferably the nucleotide sequence of the invention is the sequence of SEO ID No. 1 or its complementary sequence.

A further object of the invention is an expression vector comprising, under the control of a promoter that is expressed in bacteria, the nucleotide sequence of the invention. Those skilled in the art will appreciate that any plasmid suitable for a correct and effective expression of the protein of the invention in bacteria can be used and is within the scope of the invention.

A further object of the invention is an expression vector comprising, under the control of a promoter which is expressed in plants or in specific plant organs, the nucleotide sequence of the invention, both in a sense and anti-sense orientation. Those skilled in the art will appreciate that any plasmid suitable for a correct and effective expression of the protein of the invention in

plants or in specific plant organs can be used and is within the scope of the invention.

A further object of the invention is an expression vector comprising, under the control of a promoter which is expressed in fungi or in portions thereof, the nucleotide sequence of the invention, both in a sense and anti-sense orientation. Those skilled in the art will appreciate that any plasmid suitable for a correct and effective expression of the protein of the invention in fungi or in portions thereof can be used and is within the scope of the invention.

5

10

15

20

25

30

A further object of the invention is an expression vector comprising, under the control of a promoter that is expressed in animals, the nucleotide sequence of the invention both in a sense and anti-sense orientation. Those skilled in the art will appreciate that any plasmid suitable for a correct and effective expression of the protein of the invention in animals can be used and is within the scope of the invention.

A further object of the invention is a prokaryotic organism transformed by using the expression vector active in bacteria of the invention.

A further object of the invention is a plant or a specific plant organ transformed by using the expression vector active in plants of the invention.

A further object of the invention is a plant mutated at the nucleotide sequence of the invention and having a reduced or inhibited silencing activity.

A further object of the invention is a fungus transformed with the expression vector of the invention active in fungi.

A further object of the invention is a fungus mutated at the nucleotide sequence of the invention and having a reduced or inhibited silencing activity.

A further object of the invention is a non-human animal transformed with the expression vector of the invention active in animals.

5

10

15

20

25

30

A further object of the invention is a non-human animal mutated at the nucleotide sequence of the invention and having a reduced or inhibited silencing activity.

A further object of the invention refers to a protein characterized in having a silencing activity and in comprising a recQ helicase domain, wherein the domain is at least 30% homologous to the amino acid sequence from aa. 897 to aa. 1330 of SEQ ID No.1. Preferably the recQ helicase domain is at least 40% homologous with the amino acid sequence from aa. 897 to aa. 1330 of SEQ ID No.1. More preferably the recQ helicase domain is at least 60% homologous with the amino acid sequence from aa. 897 to aa. 1330 of SEQ ID No.1. Most preferably the recQ helicase domain comprises the amino acid sequence from aa. 897 to aa. 1330 of SEQ ID No.1. According to a particular embodiment the protein comprises the amino acid sequence of SEQ ID. No.1 or functional portions thereof.

It is within the scope of the invention the use of the nucleotide sequence of the invention to modulate gene silencing in plants, animals and fungi.

It is within the scope of the invention the use of the nucleotide sequence of the invention to potentiate the antiviral-response in a plant. The present invention now will be disclosed by way of non limiting examples with reference to the following figures:

Figure 1: Southern blot analysis of genomic DNA extracted from (A): untransformed wild type strain, (B): 6xw recipient strain and (C): untransformed wild type strain, SmaI and HindIII digested, blotted and al-1 gene probe hybridized. The 3.1-Kb band corresponds to the endogenous al-1 gene, while the 5.5-Kb band corresponds to tandem arrayed al-1 transgenes. The larger band represents undigested methylated DNA.

5

10

15

20

25

30

Figure 2: Linear map of the pMXY2 plasmid. Plasmid genes are shown as box. bmI: beta-tubulin allele which is responsible for benilate resistance; Amp: ampicillin resistance; qa-2 P: qa-2 gene promoter; TrpC T: trpC gene terminator. SphI and BglII are restriction sites used for the plasmid recovery from the 627 mutant chromosomal DNA.

Figure 3: Schematic representation of pQD6 and pQ35 plasmids. Restriction sites (BglII for pQD6 and SphI for pQ35) used for the recovery of the chromosomal DNA of the 627 strain are reported. Chromosomal sequences, flanking the integration site, are represented as segments. Restriction sites used to isolate DNA fragments used for probing the gene library are also represented.

Figure 4: Nucleotide sequence of the 6.9-Kb fragment containing the gde-3 gene and sequences. The amino acid sequence is shown above the nucleotide sequence. The bold sequences represent two introns of 98 and 68 nt. In these regions the underlined nucleotides identify consensus sequences of the donor site, the acceptor site and the internal sequence or lariat. Ιt is also represented the pMXY2 plasmid insertion site, in the 627 mutant, used for insertional mutagenesis. The portion encoding for the helicase domain is underlined.

Figure 5: Nucleotide sequence (SEQ ID No. 1) of the encoding portion reported in Figure 4 and deduced amino acid sequence. Amino acids from 897 to 1330, which define the recQ DNA-helicase domain, are underlined.

Figure 6: Multiple alignment, at the conserved domains, among qde-3 and other proteins belonging to recQ family. arab recQ: A. thaliana isologous; E. coli recQ; S. pombe hus-2; S. cerevisiae sgs-1; human wrn: Werner syndrome; human blm: Bloom syndrome. Identical amino acids are shown in bold.

MATERIALS AND METHODS

15 E. coli strains

5

10

30

E. coli strain HB101 (F, hsdS20(rb, mb), supE44,
recA13, ara14, proA2, rspL20(str, xyl-5) was used for
cloning.

Neurospora crassa strains and growing conditions

- Neurospora crassa following strains, supplied by Fungal Genetic Stock Center (FGSC, Dpt. Of Microbiology, University of Kansas Medical Ctr. Kansas City, KA) were used:
 - Wild type (FGSC 987);
- 25 ga-2/aro9 (FGSC 3957A), (FGSC 3958a).

The 6XW strain (Cogoni et al., 1996) was obtained upon transformation of the FGCS 3958a strain with pX16 (Cogoni et al., 1996). This plasmid contains the qa-2 gene used as selective marker and the al-1 coding sequence.

The mutated strains M7, M20 (qde-1); M10, M11 (qde-2); M17, M18 (qde-3) are described in Cogoni and Macino, 1997.

The qde mutants were obtained by UV mutagenesis. As recipient the transforming strain (6xw) silenced at the albino-1 gene was used. qde mutants were selected for their ability to recover a wild type unsilenced phenotype and then classified in three different complementation groups. By analyzing the al-2 gene quelling frequency all of qde used mutants are defective for the general silencing mechanism.

Complementation assays with not forced heterocaryons were carried out according to Davis and DeSerres, 1970.

15 Plasmids and libraries

5

10

20

25

The plasmid pMXY2, disclosed in Campbell et al., used for insertional mutagenesis was obtained from FGSC. The plasmid contains the Bm1 gene (allele responsible of the benilate drug resistance), that was used as selective marker after transformation. The genomic DNA containing the qde-2 gene was isolated from a N. Crassa gene library in cosmids. (Cabibbo et al., 1991).

N. crassa transformation

Spheroplasts were prepared according to the Akins and Lambowitz (1985) protocol.

Southern Blot Analysis

Chromosomal DNA was prepared as disclosed by Irelan et al., 1993. 5 μg of genomic DNA were digested and blotted as reported in Maniatis et al.

30 DNA probes were: a) as to the al-1 gene the probe is represented by a XbaI-ClaI restriction fragment of

pX16 (Cogoni et al., 1996); b) as to the BmI gene the probe is represented by the 2.6Kb SalI fragment of pMXY2. Northern Blot Analysis

N. crassa total RNA was extracted according to the protocol described by Cogoni et al., 1996. The mycelium was grown for two days at 30°C, then powdered in liquid nitrogen before RNA extraction. For Northern analysis 10 µg of RNA were formaldehyde denatured, electrophoresed on a 1% agarose, 7% formaldehyde gel, and blotted over Hybond N (Amersham) membranes. Hybridization was carried out in 50% formamide in the presence of ³²P labeled DNA probe 1.5x10⁶ cpm/ml.

RESULTS

5

10

15

20

25

30

Isolation of silencing mutant by insertional mutagenesis

Neurospora strain (6XW) wherein the albino-1 resident gene was steadily silenced was UV mutagenised, and qde ("quelling" deficient) mutants were isolated (Cogoni and Mancino 1997). The 6XW strain shows an albino phenotype due to the lack of carotenoid biosynthesis, as results by the silencing of the albino 1 gene expression (Schmidhauser et al., 1990). A mutation interfering with the silencing machinery is easily detectable by producing a wild type phenotype (bright orange) of the carotenoid biosynthesis. By means of complementation assays it was possible to establish that qde mutants belong to three complementation groups, indicating the presence of three genetic loci involved in the Neurospora silencing order to mechanism. In isolate the qde genes insertional mutagenesis was carried out with the 6XW strain, previously used for UV mutagenesis. The insertional mutagenesis was carried out by transforming the 6XW strain with a plasmid, taking advantage of the

that, after the transformation, plasmids randomly inserted in the Neurospora crassa genome. The mutagenesis was carried out transforming the 6XW silenced strain with pMXY2 (see Materials and Methods) which contains the benilate resistance as selective marker. 5 Transformed strains able to grow in the presence of benilate containing medium and showing a wild type phenotype for the carotenoid biosynthesis were selected. Out of 50.000 isolated independent transformed strains, a 10 benilate resistant strain (627) was isolated, showed the bright orange phenotype expected for a qde gene mutation. In order to verify that the silencing release was effectively due to a qde gene mutation and not to the loss of al-1, the genomic DNA of the strain 15 627 was extracted and digested with SmaI and HindIII restriction enzymes. After blotting, DNA was hybridized with a probe corresponding to the coding sequence of al-The SmaI site is present only once in the al-1transgene containing plasmid and the digestion by using said enzyme produces a 5.5Kb fragment corresponding to 20 tandem arrayed al-1 transgenes, while a 3.1Kb fragment is expected from the resident al-1 locus. Figure 1 shows that the number of al-1 transgenic copies present in the 627 strain is comparable to that present in the silenced 25 6XW strain.

The 627 strain includes a mutated qde3 gene

30

The 627 strain was assayed in a heterokaryon assay with a wild type strain and with M7, M20 (qde-1) M10, M11 (qde-2) mutants (Cogoni and Macino, 1997). As shown in Table 1 the al-1 gene silencing is restored producing an albino phenotype in all of heterocaryons but M17 and M18.

This behavior is consistent with the presence of a qde-3 gene recessive mutation in the 627 strain.

Table 1

5 Reciprocal heterokaryons among 627 mutant and previously characterized qde mutants.

	627	м7	M20	M10	M11	M17	M18
627	WT	AL	AL	AL	AL	WT	WT
м7		WT	WT	AL	AL	AL	AL ·
M20			WT	AL	AL	AL	AL
м10	<u> </u> 			WT	WT	AL	AL
M11					WT	AL	AL
м17						WT	WT
M18							WT

WT = heterokaryon with a wild type phenotype for carotenoid;

AL = heterokaryon with an albino phenotype wherein the al-1 gene silencing is restored.

15

20

Recovery of sequences flanking the pMXY2 plasmid integration site

In order to recover sequences flanking the integration site or sites the following methodology was carried out. The 627 strain genomic DNA was restricted with SphI and BglII enzymes. As shown in the map of Figure 2 the enzymes digest respectively upstream and downstream to the region containing both the ampicillin resistance gene and the origin of replication present in pMXY2. Subsequently the genomic DNA was ligated and the product used to transform *E. coli* cells. The screening was performed in an ampicillin-containing medium. pQD6 and pQ35 plasmids were recovered from BglII and SphI

restricted chromosomal DNA, respectively (see Figure 3). Two DNA fragments containing sequences flanking the integration site were isolated by using, respectively, BglII and SalI enzymes for pQD6, and SphI and HindIII enzymes for pQ35 (Figure 3).

Isolation of genomic clones, their subcloning and complementation of the qde-3 mutant

The two fragments from pQD6 and pQ35 plasmids were used to probe a Neurospora crassa genomic library in cosmids. Cosmids 6E8 and 54D7, both containing about 30 Kb genomic DNA inserts, were isolated. Both the probes recognize the same cosmids, thus indicating that the two flanking sequences are contiguous. Cosmids 6E8 and 54D7 were used in transformation experiments with M17 and M18 mutants. Both of cosmids are able to restore the al-1 gene silencing in the two mutants, determining an albino phenotype. Furthermore the introduction of same cosmids into the M10 (qde-2) or the M20 mutant (qde-1) is not effective to restore the silencing.

20 The 6E8 cosmid was used to subclone a 9 Kb SphI-SphI fragment. This subclone was used for transformation experiments and resulted to be able to complement the qde-3 phenotype, indicating that a qde-3 functional gene is present in this plasmid.

25 <u>Isolation and sequence of the qde-3 cDNA</u>

5

10 .

15

30

The SphI-SphI region was sequenced, like the corresponding cDNA, by using RT-PCR. The latter sequence was used to deduce the qde-3 amino acid sequence and map the introns therein. The qde-3 gene encodes for a 1900 aa. putative protein (200 KDa). The genomic clone contains two introns of 98 nt. and 68 nt., respectively. Intron acceptor and donor sequences were identified and

correspond to described consensus sequences (Figure 4). Furthermore the pMXY2 plasmid insertion site within the gene in the 627 transforming strain is indicated. The insertion site was deduced by analysis of pQD6 and pQ35 plasmid sequences.

The cDNA sequence is shown in Figure 5 (SEQ ID No. 1), wherein the helicase domain containing 434 amino acids from 897 aa to 1330 aa is underlined.

The qde-3 gene is belonging to recQ helicase DNA family

The 1900 as sequence was used to search in database of amino acid sequences, by using the BLASTP algorithm. Significant homologies were identified with 6 genes belonging to the reQ family, belonging to the helicase group containing the DEAH consensus sequence. Figure 6 shows the homologous region sequence alignment of helicase domains, as defined in Figure 5, among qde-3 and genes belonging to recQ helicase family. qde-3 shows the highest homology with hus-2 (55% amino acid identity) and the lowest homology with Wrn (40% identity).

20 Plant expression vector

5

10

15

25

30

The qde-3 gene was inserted, in a sense orientation, into a vector containing a plant expression "cassette", including the 35S promoter and the PI-II "terminator" sequences. The vector also includes the Streptomyces hygroscopicus bar gene, which confers the phosphinotricine herbicide resistance to transformed plants. In an analogous vector, qde-3 was inserted in an anti-sense orientation with respect to the 35S promoter.

The obtained vectors can be utilized to overexpress the qde-3 gene in plants, or to repress the gene expression of resident genes, which are homologous to qde-3, respectively.

Fungus expression vector

5

10

15

20

The qde-3 gene was inserted in a vector containing a fungal specific expression "cassette", comprising the A. nidulans trpC gene promoter and terminator, both in a sense and an anti-sense orientation. In addition the vector contains the bacterial hph gene, which confers the hygromicine drug resistance. The sense plasmid can be used to over express the qde-3 gene, whereas the anti-sense plasmid is used to repress the expression of qde-3 homologous genes in various fungine species.

Mammalian expression vector

The qde-3 gene was inserted in a vector containing a mammalian specific expression "cassette", including the cytomegalovirus (CMV) promoter and SV40 termination and polyadenylation sequences both in a sense and anti-sense orientation. The vector includes also the neomicine phototransferase gene, as marker for mammalian cell selection. The sense plasmid can be used to over express the qde-3 gene, whereas the anti-sense plasmid can be used to repress the expression of qde-3 homologous genes in various mammalian species.

Bibliography

- Akins, R.A. and Lambowitz A.M. (1985) Mol. Cell. Biol. 5:2272-2278
- 25 Baulcombe, D.C. (1996) Plant Mol. Biol. 32, 79-88.
 - Cogoni, C. et al. (1996) EMBO J. 15, 3153-3163
 - Cogoni, C. and Macino, G. (1997) Proc. Natl. Acad. Sci. U.S.A. 94: 10223-10238.
- Cabibbo, A. et al. (1991) Fungal Genetic Newsl., 38: 30 68-70.
 - Davis, R.H. and De Serres, F.J. (1970) methods Enzymol. 17: 79-143.

- de Carvalho Niebel, F. et al. (1995), Plant Cell: 347-358.
- Dehio, C., and Schell, J. (1994). Proc. Natl. Acad.
 Sci. U.S.A. 91: 5538-5542.
- 5 Dorer, D.R. and Henikoff, S. (1994). Cell, 993-1002.
 - Elkind, Y. Et al. (19990) Proc. Natl. Acad. Sci. U.S.A. 87: 9057-9061.
 - Ellis, N.A. et al. (1995) Cell 83:655-666.
- Flavell, R.B. (1994) Proc. Natl. Acad. Sci. U.S.A. 91: 3490-3496.
 - Garrick D., et al. (1998) Nature Genetics 18, 56-59.
 - Gray, M.D. et al. (1997) Nature Genetics 17, 100-103.
 - Irelan, J. et al. (1993) Fungal Genetics Newsl. 40: 24.
- 15 Lindbo, J.A. et al. (1993) Plant Cell 5: 1749-1759.
 - Maniatis, S.T. et al. (1982) Molecular Cloning A Laboratory Manual, Cold Spring Harbor, New York: Cold Spring Harbor Laboratory Press.
- Mittelstein Scheid, O. Et al. (1994) Mol. Gen. Genet. 20 244: 325-330.
 - Orbach, M.J. et al. (1986) Mol. Cell. Biol., 6, 2452-2461.
 - Pal-Bhadra, M., et al., (1997). Cell 90, 479-490.
 - Palauqui, J.C. et al., (1997) EMBO J. 16: 4738-4745.
- 25 Pirrotta, V. (1997). TIG 13, 314-318.
 - Schmidhauser, T.J. et al., Mol. Cell. Biol. 10: 5064-5070
 - Stam, M. et al. (1997) Annals of Botany 79:3-12
 - Stewart, E. et al., (1997) EMBO J. 10:2682-2692
- 30 van Blokland, R. et al. (1994), Plant, 6, 861-887.

- Vaucheret, H. (1993), C.R. Acad. Sci. Paris, Sciences de la vie/Life sciences 316, 1471-1483.
- Wallrath, L.L. and Elgin, S.C.R. (1995). Genes & Development 9, 1263-1277.
- 5 Watt, P.M. et al. (1995). Cell, 81: 253-260.
 - Watt, P.M. et al., (1996). Genetics 144: 935-945.
 - Yu, C.E. et al. (1996). Science 272: 258-262.

Claims

1. Nucleotide sequence encoding for a protein characterized in having a silencing activity and in comprising a recQ helicase domain, wherein the domain is at least 30% homologous with the amino acid sequence from aa. 897 to aa. 1330 of SEQ ID No.1.

5

10

- 2. Nucleotide sequence encoding for a protein characterized in having a silencing activity and comprising a recQ helicase domain according to claim 1, wherein the domain is at least 40% homologous with the amino acid sequence from aa. 897 to aa. 1330 of SEQ ID No.1.
- 3. Nucleotide sequence encoding for a protein characterized in having a silencing activity and comprising a recQ helicase domain according to claim 2, wherein the domain is at least 60% homologous with the amino acid sequence from aa. 897 to aa. 1330 of SEQ ID No.1.
- 4. Nucleotide sequence encoding for a protein characterized in having a silencing activity and comprising a recQ helicase domain according to claim 3, wherein the recQ helicase domain is the amino acid sequence from aa. 897 to aa. 1330 of SEQ ID No.1.
- 5. Nucleotide sequence encoding for a protein characterized in having a silencing activity and comprising a recQ helicase domain according to claim 4, wherein said nucleotide sequence encodes for a protein having the amino acid sequence of SEQ ID No. 1, or functional portions thereof.
 - 6. Nucleotide sequence encoding for a protein characterized in having a silencing activity and

comprising a recQ helicase domain according to claim 5, wherein said nucleotide sequence is the sequence of SEQ ID No. 1 or its complementary sequence.

7. Expression vector comprising, under the control of a promoter that is expressed in bacteria, the nucleotide sequence according to any one of claims 1-6.

5

10

15

25

- 8. Expression vector comprising, under the control of a promoter that is expressed in plants or in specific plant organs, the nucleotide sequence according to any one of claims 1-6, both in a sense and anti-sense orientation.
- 9. Expression vector comprising, under the control of a promoter that is expressed in fungi, the nucleotide sequence according to any one of claims 1-6 both in a sense and anti-sense orientation.
- 10. Expression vector comprising, under the control of a promoter that is expressed in animals, the nucleotide sequence according to any one of claims 1-6 both in a sense and anti-sense orientation.
- 20 11. Prokaryotic organism transformed by using the expression vector active in bacteria according to claim 7.
 - 12. Plants or a specific plant organ transformed by using the expression vector active in plants according to claim 8.
 - 13. Plant mutated at the nucleotide sequence according to any one of claims 1-6 having a reduced or inhibited silencing activity.
- 14. Fungus transformed by using the expression30 vector active in fungi according to claim 9.

- 15. Fungus mutated at the nucleotide sequence according to any one of claims 1-6 having a reduced or inhibited silencing activity.
- 16. Non-human animal transformed by using the expression vector active in animals according to claim 10.

5

15

20

30

- 17. Non-human animal mutated at the nucleotide sequence according to any one of claims 1-6 having a reduced or inhibited silencing activity.
- 18. Protein characterized in having a silencing activity and comprising a recQ helicase domain wherein the domain is at least 30% homologous to the amino acid sequence from aa. 897 to aa. 1330 of SEQ ID No.1.
 - 19. Protein characterized in having a silencing activity and comprising a recQ helicase domain according to claim 18 wherein the domain is at least 40% homologous to the amino acid sequence from aa. 897 to aa. 1330 of SEQ ID No.1.
 - 20. Protein characterized in having a silencing activity and comprising a recQ helicase domain according to claim 19 wherein the domain is at least 60% homologous to the amino acid sequence from aa. 897 to aa. 1330 of SEO ID No.1.
- 21. Protein characterized in having a silencing activity and comprising a recQ helicase domain according to claim 20 wherein the domain is the amino acid sequence from aa. 897 to aa. 1330 of SEQ ID No.1.
 - 22. Protein characterized in having a silencing activity and comprising a recQ helicase domain according to claim 21 comprising the amino acid sequence of SEQ ID.

 No.1 or functional portions thereof.

- 23. Use of the nucleotide sequence according to any one of claims 1-6 to modulate the gene silencing in plants, animals and fungi.
- 24. Use of the nucleotide sequence according to any one of claims 1-6 to potentiate the antiviral-response in a plant.






FIG. 1

FIG. 2








FIG. 3

27 ACC CCA AAC CCA ACC TCG ACC TCA ACC TCA ACC TCA ACC CTT GCG ACC TCG AGA TAC ACA AAC ACA TCC TCG ACA AAT GAC GCC CGA CCC GCT ACA CGC CAA CAG ATT GCC CCC GAG GTA GGA GCA TCG ACG CAT CAG GAT TCA GTT GGA CTT GGA GAA GGA GGA GGA GGA ATG GCG PRPH S V K N N L AAG CTC TCA GTC AAG AAC AAC CTG CCA CGG CCG CAC TTG GTC TCC TTG TCG TCA ACG 261 270 T G S G S G S A S R S A S A K H G S A G ACA GGC TCT GGG TCT GGG TCT AGG TCA GCT TCT GCT AAG CAC GGA AGT GCC GGT 321 330 312 339 H E H Q H Q TCC AGT ACC TTT GAT CAT GAA CAA CAT CAA CAA CAA CAA CAA CAA CAA AAG CGC 372 381 390 399 CAG CGG TCG CAA TCA GAA GCA CGA CAA CAG CAG CAG CAA CAG CAA CAG CAA CAG Н н н CAA CAA CAA CAA CAA CAA GCA CAG CAC CAT GCA CAT TCT ACA TAT GCA CAA AGA CCC CAA R P P Q N L CCC ACC CCC CAA CAA CGA CCA CCC CAA AAC CTA CTG ACA CCT GCT TCA ACC ACT GGT GCC S V G P L Q R A Y S V S L A A R Q S P S AGC GTC GGC CCC CAA CGC GCA TAC TCG GTT TCA TTA GCT GCG AGA CAG TCC CCC TCG R Α 621 630 639 P K T D S ACA AAC TTG GTC CGT CCA AAG ACC GAC TCG CCA GCT CCC CAC ACT TTA CAC CTC AAG AAC 663 672 681 690 699 AAG AAG CTC CGT CAC CCC GCC CCC ACG CCC GAC AGT CCG ATC GTA GAC GAC GAT ATT р н р н TTC TCC GAC GCC GTC GAT CTT ACC GAA GAA CTC GAT CAT GAC CAT GAT CTC AAC GGC AAA N D N S S GAC AAA GAC AAC ACC GAC AAC GAC AAC ACA GTC GCT TCC AGT TCG CTA ATA GGG TTC GGC R D E GAT GAC AAG TTA CTG TGG CGA GAG GAC TTT GCT GAG CGT GCA GAG CCC GAA CAT GAA AGA 912 921 930 -K K R K I GGT GGG AGC AGG CCT CGC CAG GTC AAG AAA CGG AAG ATA TCG AAT GAC TAC ATT ATG AAG 981 990 D E D V S L F D D D G E E D E F M D GAT GAG GAT GTC TCG CTT TTT GAT GAT GGC GAG GAG GAC GAG TTT ATG GAT ATC AAT 1050 1032 1041 1059

FIG. 4/1

K P к а т GAG CTA GTT CAG GGG GAT CGG GAA AGT ACT CCG AAG CCA AAG GCT ACA TCG AGG TCT GTC 1092 1101 1110 1119 1083 S T R L P P T V S L Q R G R S P K R K E TCG ACG AGG CTG CCT ACA GTA TCG CTG CAA CGG GGT CGG TCT CCT AAG AGG AAG GAG 1161 1170 1179 A S V E K R T T E N Q Q Q A D R E D E P GCT TCA GTT GAA AAG CGC ACA ACG GAA AAC CAG CAA CAG GCT GAC AGA GAA GAC GAA CCG 1221 1230 M S S P D V D N S R K R K S S G S TCG TTT ATG TCA AGT CCA GAT GTC GAC AAC TCC CGC AAG CGA AAG TCT TCT GGA TCG CCC T G L T T P R P Q Q K Q T E E V P G T T ACA GGT TTA ACG ACG CCA AGA CCC CAG CAG AAG CAA ACG GAA GAG GTC CCA GGT ACG ACC 1350 1359 1332 1341 E V M D SEDE ACC GCC AAG AAG CCA CGG CGC AGT GAA GTG ATG GAC TCG GAG GAC GAG GCA TTC ACT CCT 1428 1401 1410 1419 E F F R S G L P G S A CTT TCT GCT GGG TCG CTG CCT GGG AGT GCG GAG TTC TTC AGA AGC GGT GGG ACC ACC ACA 1452 1461 1470 1479 RELGLDEDTVMDTPSRPPVE CGG GAA TTG GGT TTG GAC GAA GAC ACG GTT ATG GAC ACG CCT AGT AGG CCA CCG GTC GAG 1521 1530 L E S V E S R P P TCC ACT TTG CCA ACT CTC GAG TCT GTG GAA AGT CGA CCA CCC CCC CTG CCG CCC ATG GAT 1581 L P S Q R K P L E P L N T P R N Q L CTA CCA TCA CAG CGA AAA CCG CTA GAG CCG TTG AAC ACT CCG CGC AAC CAG CTG CTT GAG 1641 1650 1659 P S F A Q S S TQQPSVG TCG GTC GAA AGG CCA ACA CAG CAG CCG TCG GTG GGG CCG AGT TTT GCA CAG AGT AGC ACA 1701 1710 1719 P P P S E D L P P S M CTC GCC GAA AGC TCC CTG CCG CCG TCA ATG CCG CCG CCA AGT GAA GAC CCC CTC AAC ACC 1761 1770 1779 1752 R E N S N L E E F D Y K L Y K P L L AGG GAG AAC AGC AAC CTT GAG GAG TTC GAC TAC AAG CTT TAC AAA CCC CTG CTA GAT CTT 1812 1821 1830 L E R E L S TTC GTC AAC GCA CCC GCA ATC TTG GAA AGA GAA CTG AGC GCC GTT AAT GAC GAG CTT CAG 1872 1881 ENMIKLRDCLRLPREERD GAG AAC ATG ATC AAG CTG CGG GAC TGT CTG CGC CTG CCC AGG GAA GAA AGA GAC AGG GCA 1941 1950 V K K E K E M L K R R D CGC GAA GAG GTG AAG AAG GAA AAG GAA ATG CTC AAG CGA CGG GAC ATT GCG CTC AGA GCC 2001 2010 DEHKLYVKKRKEHN CTC CAG GAC GAA CAC AAG TTG TAC GTC AAG AAA CGC AAA GAG CAT AAT TTG ATC AAC GAG 2079 2070 2061 E I V R A Y A E E D D E Y E D Q L M A Q GAA ATC GTT CGC GCT TAT GCT GAA GAA GAC GAT GAG TAC GAG GAT CAG TTA ATG GCG CAG 2103 2112 2121 2130 2139 2148

D D E V E A I V K L KSLTR CTG GAC AAG TTG GAT GAG GTT GAG GCT ATC GTA AAG AGT CTG ACA AGG CTT ATT GTG 2172 2181 2190 2199 E K S F D L K K E E E GCG GCG GGG ATC ACG GAG AAG AGC TTT GAC CTA AAG AAG GAG GAG GAA GAG GAG GAG 2232 2241 2250 2259 2301 2310 2319 T T E Y H N S Q Q V I L Q T Q H P A A Q ACG ACC GAG TAT CAT AAT TCC CAG CAG GTC ATA TTG CAG ACT CAA CAT CCT GCT GCG CAG 2352 2361 2370 Q V S H R V P P P T P S F Q T CAG GTT TCT CAC CGG GTG CCA CCA CCT CCG ACA CCG AGT TTT CAA ACG GCG CGC CAG ACT 2430 2439 YQSRPTNN F P D CCG GTG TCA TAT CAG AGC AGA CCG ACC AAC AAC TCC TTT CCT GAT ATC TCG GCG GAA GAA 2472 2481 2490 A M M F D K E D P F M E Q Q H A P A S A GCC ATG ATG TTC GAT AAA GAA GAC CCC TTC ATG GAA CAA CAG CAC GCC CCG GCC TCT GCT 2541 2550 2559 P F Q A T L P Q R N S P F K T A P F K P CCC TTC CAG GCC CCG CCC CCAG CGC AAC AGC CCT TTC AAA ACC GCC CCG TTC AAG CCA 2592 2610 2619 2601 2628 D Y F D D E D D D A D GTC CAC GGC CAC GAT TAC TIT GAC GAT GAA GAC GAC GAT GCC GAC CTC CTG GCA GCA GTA 2652 2661 2670 D S A E T Y T S T A A T т т TNNNN GAC AGC GCC GAG ACG TAT ACT TCT ACG GCC GCC ACC ACC ACC AAC AAC AAC AAT CAC 2721 2730 · L R S Q S V M S T S T A T T I K P R TTA CGA TCA CAA TCG GTG ATG TCA ACA TCC ACG GCG ACC ACG ATC AAA CCG AGG AAA CGC 2781 2790 2799 N E N A N A K K P K S V H A K L S M P P AAC GAA AAT GCC AAT GCC AAG CCC AAG TCC GTA CAT GCA AAG TTA TCG ATG CCG CCC 2841 2850 2859 E K M K Y A W S N D V R K A L K D R F R GAA AAG ATG AAG TAT GCG TGG TCG AAT GAT GTG AGG AAG GCT CTC AAG GAT AGG TTT CGG 2883 2892 2901 2910 2919 Q N Q L E A I N A T L G ATG TCG GGG TTC AGA CAG AAT CAG TTG GAG GCT ATT AAT GCT ACT TTG GGT GGT AAG GTG 2952 2961 2970 2979 <u>agt</u> tot ctg tcc ttt acc tat ctg gga gag acc aag aag gag aga gag aga gag agg 3012 3021 3030 D A F V GGA AGA CGA AAA TGG ACT TTG CTG ACT CTA GAAAG GAT GCC TTT GTG TTG ATG CCG ACT GGT 3083 3092 3101 C Y L _ Q L P A _ **v v** RSGKTR GGT GGA AAG TCT CTG TGC TAT CAG TTG CCG GCT GTA GTC AGG AGC GGC AAG ACG CGT GGT 3134 3143 3152 3161 S P L L S L M L D Q V N H ATC ACA GTC GTC ATC TCC CCT CTG CTA AGT CTG ATG CTG GAT CAA GTC AAC CAT TTG GCA 3203 3212 3221 3230 3185 3194




FIG 4/4

T L G K L C D ILMGKRKN CAG CAG CCC ATC ACG CTG GGC AAG CTG TGC GAC ATC CTG ATG GGC AAG AGA AAG AAC GAG 4334 4343 4352 4361 H G G V C H F G I A K G S T Q R E L Q R CAC GGT GGC GTG TGT CAC TTT GGT ATC GCC AAG GGG AGC ACG CAG AGG GAG CTG CAG AGG 4394 4412 4403 4421 LNFHKALGEDN ATC GTG CTG CAG CTG AAT TTC CAC AAG GCG CTG GGC GAG GAC AAT ATC ATG AAT GGG GCG 4472 GMPITYYI GGG ATG CCT ATT ACC TAC TAT ATT GTG AGT GCT GTC CCG GTT GGT CTT GCA TAT CTG GCT 4532 /INSERZIONE T G P E A G A TTG TTG CTT TGC TAA CAC AGC AGC TCG TAC AG ACC GGC CCT GAA GCT GGT GCT TAC CTC 4573 4582 4591 4600 N L P V M KSVEP TAC AAT GGC AAG CGG TTG ATG CTG CCA GTT CCC TCA AAC AAG TCC GTC GAA CCC CCG TCT 4633 4642 4651 4660 S K Q R S R R V D E D M D E Q E L S CGG TCT AAG CAG CGG AGC CGT CGA GTC GAT GAG GAT ATG GAT GAG CAA GAA CTT TCC ACC 4702 4711 S P V R A T K K R S T N V S CTG CAA CGA CCG CCA ACA TCA ACA AAT GTC TCT TCA CCC GTT CGA GCC ACC AAG AAA CGA 4753 4762 4771 4780 L P L I D Y AGT TCC AAA AAG GCT TTA CCG ACC CTC ATC GCC GAC TAC GAA GAG CCC AGC TCC GAC GGT 4813 4822 4831 4840 4873 4882 4891 4900 F EEEEDA E P GTT GAA CCC GAA GAG GAA GAA GAT GCC TTC GAA CCT GTC CGC CCC TCG CGC CGC GGC CCA 4933 4942 4951 4960 S R A T R P Q H R Q T T L Y D T L S TCT TCT CGC GCT ACC CGC CCT CAA CAC CGC CAG ACC ACC CTT TAT GAC ACC CTC TCC CAC 5002 5011 V S Q H L A T L G P P ACC CAA CAA TCC CAA ACC GTC TCC CAA CAC CTC GCC ACT TTG GGT CCG CCC ATC GAC GCC 5062 5071 5080 R T M H N P R Y A Q L D E V H Q D I V D CGC ACC ATG CAT AAC CCC CGC TAC GCC CAG CTT GAC GAG GTC CAC CAG GAT ATT GTC GAT 5131 5113 5122 5140 E V K F E E D F R N N R GCC TTT GTT GAA GAA GTC AAG GTC TTC GAG GAG GAC TTT CGC AAC AGG AAC CAC ATG CGC 5173 5182 5191 5200 EMAIRWTRS TQYR AAA CCC ATC TTT ACC GAG ACG CAG TAC CGT GAG ATG GCA ATC CGG TGG ACG CGG TCG TTA 5242 5251 A M R A I P D I N Q D K V D R Y G A GAC GCG ATG CGC GCG ATC CCG GAT ATC AAC CAG GAT AAA GTA GAT CGG TAT GGT GCC AAA 5302 5311 LVERFWGNYQEMMGGG TTC ATC CCA CTT GTG GAG CGG TTC TGG GGG AAT TAT CAG GAG ATG ATG GGG GGA GGG TAT 5353 5362 5371 5380 5389 5344

FIG 4/5

AGDEDDD E. G. P. R GAT AAT CCT GCT GTG GCT GGC GAT GAG GAT GAT GAG GGC CCC AGG AGG ACA GGA AAT 5431 5440 G K G G N K K G G G G G N E V V 5473 5482 5491 I S S D E D E P P A R A P S R N A G R G ATT AGT AGT GAT GAG GAT GAA CCT CCG GCT CGT GCA CCA TCG CGG AAT GCG GGG CGA GGA 5524 5533 5542 5551 5560 TRGG Q I Q D K AAG GCA CAG TCG ACA CGT GGG GGA CAA ATC CAA GAT AAA GGC CGA GCA GTC AAC CGC CGC 5602 5611 5620 5593 IAEEDEEDYGLSDPD GGA GAA CCC ATC GCC GAA GAA GAC GAA GAA GAC TAC GGG CTA AGC GAC CCC GAT ATC GAC 5662 5671 5680 D A I T A S D N S D E GCC ATC GAT CCA GAC GCC ATC ACC GCC TCC GAC AAC TCC GAC GAA GAA GAT GAT GAT 5722 5731 5773 5782 5791 5800 5809 A R R E Q LSMYA AAA GCC GTG CAG GAT GCT CGA CTC CGT GAA CAA CTT TCC ATG TAC GCC TCC GGC GGC AGC 5833 5842 5851 5860 Y G S G R A SGG S S TCT TCG AAA GGT AGC TAC GGC TCA GGG CGC GCA TCA GGA GGA TCT TCG TCG AGA GCG TCG 5893 5902 5911 5920 W R G G G A G G K K Y Y R K K GGA TCA GGA TGG AGA GGT GGA GGA GCA GGT GGG AAG AAA TAC TAC AGG AAG AAG AGG GCT 5953 5962 5971 5980 AAGGGAAGGG GGT TCT TCG GCT GCT GGT GGT GGT GCA GGA GGA GGG GGA GTT ACA AAA CGG AAG GCG 6022 6031 GAKTAR KRGASTAPKT AGT GGG AGT GGC GCG AAG ACG GCG AGG AAG AGG GGT GCA TCT ACT GCG CCG AAG ACA ACG 6082 6091 6100 G S G RGGG ACG AGA GGG GGA GGA TCT GGA GCT GGG TCT AGA GGA GGC GGT GCT GGT GGT GGT GGT 6133 6142 6151 K R G G G G G AGAGGG 6193 6202 6211 6220 I S V M P H GGA GGG ATA AGT GTT ATG CCT CAT TAG CTA TTT TAT AGC ATA TCG CAT TTA TAC AGT GTC 6253 6262 6271 6280 TTA TGG AAG GGA GGA GAA GAA GAA GGA TAA GCT GGC ATA AGC TTG AAC CGG CCA GGC 6313 6322 6331 CAA AAT GGC CAG AGA GCT CAC CGG GCA ATC GAG CTT GAA ATG AGC TTG ACA TAT TAG GTA 6382 6391 6400 TTC CCG AGA ATA TAG CGG GAT TAC AAG GCA CTT ACT TTA CCA AGT CGA AAG GGA CGA GCC 6433 6442 6451 6460 AAA TCT ATG GTA CTC GCC AGT TGC GCA ACG TTG AGT TTT ATC ATT CGT GGA GTT TTC ATC

FIG. 4/6

GTG	GAG TTT 6544	TTA	6553	ACT	ATT CGT 6562	TGT	ATA GTT 6571	TTC	GTT GTA 6580		GTT AGT 6589	GG7
CGA	TCA AAA 6604	GGG	GAA GTG 6613	TGG	AAC AGA 6622	GAA	GTC GAA 6631	AGG	ACA AGC 6640		AAT GAG	GCZ
GTG	TCC AGT 6664	CAG	ATA CCC 6673	TCC	AGA CAA 6682	AAC	CAG ACA 6691	CCA	ATA ACA 6700	AAC	CCT TCA 6709	ATA
ACA	CCA GCA 6724	AAG	CCA ATC 6733	CTT	AGG TAC 6742	CTA	CCT AGG 6751	GTA	GGG TAG 6760	GTC	CAG GAA 6769	CTI
CCC	CAA AGG 6784	TAC	CTC TAC 6793	TTA	TTC ATG 6802	TTA	CGC TCC 6811	ATC	AGT CCC 6820	ATC	GCT TAG 6829	CGC
TGC	CCG GTT 6844	ACC	TAT CTC 6853	TAC	CTC TAC 6862	CTC	TAC CTC 6871	TAC	CTC TAC 6880	CTC	TAC CTC 6889	CTC
ŤAT	CTC TAC 6904	CTC	TAC CTC 6913	TAC								

FIG. 4/7

SEQ ID No.1

M A K L S V K N N L P R P H L V S ATG GCG AAG CTC TCA GTC AAG AAC AAC CTG CCA CGG CCG CAC TTG GTC TCC TTG 18 27 36 S T T G S G S G S A S R S TCG TCG TCA ACG ACA GGC TCT GGG TCT GGT TCT GCG TCT AGG TCA GCT TCT GCT AAG CAC 81 90 D H E Q H T F Q н о о GGA AGT GCC GGT TCC AGT ACC TTT GAT CAT GAA CAA CAT CAA CAA CAA CAA CAA 132 141 150 S S E R R Α R Q Q CAA CAA AAG CGC CAG CGG TCG CAA TCA GAA GCA CGA CAA CAG CAG CAA CAG CAA CAG 192 201 АОНН QCAA CAG CAA CAA CAA CAA CAA CAA CAA GCA CAG CAC CAT GCA CAT TCT ACA TAT GCA 270 279 QQRPPQNLL T P 321 330 339 LQRAY V S L ACC ACT GGT GCC AGC GTC GGC CTC CAA CGC GCA TAC TCG GTT TCA TTA GCT GCG AGA 381 390 N L V R P K T D P Α CAG TCC CCC TCG ACA AAC TTG GTC CGT CCA AAG ACC GAC TCG CCA GCT CCC CAC ACT TTA 432 441 450 459 KNLRH A P T P D CAC CTC AAG AAC AAG AAG AAC CTC CGT CAC CCC GCC CCC ACG CCC GAC AGT CCG ATC GTA 492 501 510 519 528 D V D T E L ELDH GAC GAC GAT ATT TTC TCC GAC GCC GTC GAT CTT ACC GAA GAA CTC GAT CAT GAC CAT GAT 543 552 561 570 579 $N \cdot T D$ K D N D N T V A S S S 603 621 630 639 648 D K L L W REDFAERAEP ATA GGG TTC GGC GAT GAC AAG TTA CTG TGG CGA GAG GAC TTT GCT GAG CGT GCA GAG CCC 672 681 690 699 708 E R G S R P R Q V K K R K I G GAA CAT GAA AGA GGT GGG AGC AGG CCT CGC CAG GTC AAG AAA CGG AAG ATA TCG AAT GAC 723 732 741 750 759 E D V S L F D D D M K D G E E TAC ATT ATG AAG GAT GAG GAT GTC TCG CTT TTT GAT GAT GAT GGC GAG GAG GAC GAG TTT 783 801 810 819 INELVQGDRES T Р К Р ATG GAT ATC AAT GAG CTA GTT CAG GGG GAT CGG GAA AGT ACT CCG AAG CCA AAG GCT ACA 843 852 861 870 879


R L P P T V S L Q R ${f T}$ TCG AGG TCT GTC TCG AGG CTG CCG CCT ACA GTA TCG CTG CAA CGG GGT CGG TCT CCT 912 921 930 939 AAG AGG AAG GAG GCT TCA GTT GAA AAG CGC ACA ACG GAA AAC CAG CAA CAG GCT GAC AGA 972 981 990 999 S F M S S P D V D N S R GAA GAC GAA CCG TCG TTT ATG TCA AGT CCA GAT GTC GAC AAC TCC CGC AAG CGA AAG TCT 1032 1041 1050 TTPRPQ P T G L QKQTEE TCT GGA TCG CCC ACA GGT TTA ACG ACG CCA AGA CCC CAG CAG AAG CAA ACG GAA GAG GTC 1101 1110 CCA GGT ACG ACC ACC GCC AAG AAG CCA CGG CGC AGT GAA GTG ATG GAC TCG GAG GAC GAG 1152 1161 1170 1179 LSAGSLPGSAEF GCA TTC ACT CCT CTT TCT GCT GGG TCG CTG CCT GGG AGT GCG GAG TTC TTC AGA AGC GGT 1212 . 1230 1221 1239 R E L G L D E D T V M D GGG ACC ACC ACA CGG GAA TTG GGT TTG GAC GAA GAC ACG GTT ATG GAC ACG CCT AGT AGG 1272 1281 1290 1299 V E S T L P T L E S V · E S RPPP CCA CCG GTC GAG TCC ACT TTG CCA ACT CTC GAG TCT GTG GAA AGT CGA CCC CCC CTG 1341 1350 D L P S Q R K P L E LNTPR CCG CCC ATG GAT CTA CCA TCA CAG CGA AAA CCG CTA GAG CCG TTG AAC ACT CCG CGC AAC 1392 1401 1410 L E S V E R P T Q P VGP S CAG CTG CTT GAG TCG GTC GAA AGG CCA ACA CAG CAG CCG TCG GTG GGG CCG AGT TTT GCA 1452 1461 .1470 1479 L A E S S L P P S M P P P S E CAG AGT AGC ACA CTC GCC GAA AGC TCC CTG CCG CCG TCA ATG CCG CCG CCA AGT GAA GAC 1512 1521 1530 1539 R E N N L EEFDYKLYK CCC CTC AAC ACC AGG GAG AAC AGC AAC CTT GAG GAG TTC GAC TAC AAG CTT TAC AAA CCC 1563 1572 1581 1590 1599 V N APAILERELSA CTG CTA GAT CTT TTC GTC AAC GCA CCC GCA ATC TTG GAA AGA GAA CTG AGC GCC GTT AAT 1632 1641 1650 1659 1668 E N M I K L R D C L R L P R E GAC GAG CTT CAG GAG AAC ATG ATC AAG CTG CGG GAC TGT CTG CGC CTG CCC AGG GAA GAA 1683 1692 1701 1710 1719 REEVKKEKEMLK RRE AGA GAC AGG GCA CGC GAA GAG GTG AAG AAG GAA AAG GAA ATG CTC AAG CGA CGG GAC ATT 1743 1761 1770 1779 R A L Q D E H K L Y V K K R K E H GCG CTC AGA GCC CTC CAG GAC GAA CAC AAG TTG TAC GTC AAG AAA CGC AAA GAG CAT AAT 1812 1821 1830 1839 1848

LINEEIVRAYAEEDDEYEDO TTG ATC AAC GAG GAA ATC GTT CGC GCT TAT GCT GAA GAA GAC GAT GAG TAC GAG GAT CAG 1872 1881 1890 1899 Q L D KLDDEVEAI V K S TTA ATG GCG CAG CTG GAC AAG TTG GAT GAT GAG GTT GAG GCT ATC GTA AAG AGT CTG ACA 1932 . 1941 1950 1959 VAAGI T E K S F D L K AGG CTT ATT GTG GCG GGG ATC ACG GAG AAG AGC TTT GAC CTA AAG AAG GAG GAA 1992 2001 2010 2019 E K P I I A TPTPST GAG GAG GAG GAG AAG CCG ATC ATC ATA GCG ACT CCG ACA CCT TCG ACG AGG ACC GAG GCC 2052 2061 2070 2079 EYHNSQQVIL P T T CCG GTT CTG CCG ACG ACC GAG TAT CAT AAT TCC CAG CAG GTC ATA TTG CAG ACT CAA CAT 2112 2121 2130 A v A SHRVPPP РТР CCT GCT GCG CAG CAG GTT TCT CAC CGG GTG CCA CCT CCG ACA CCG AGT TTT CAA ACG 2172 2181 2190 V S Y Q S RPTNNS GCG CGC CAG ACT CCG GTG TCA TAT CAG AGC AGA CCG ACC AAC AAC TCC TTT CCT GAT ATC 2232 , 2241 2250 2259 AMMFDKEDPFME TCG GCG GAA GAA GCC ATG ATG TTC GAT AAA GAA GAC CCC TTC ATG GAA CAA CAG CAC GCC 2301 2310 2319 P F Q A T L P Q R N S P F CCG GCC TCT GCT CCC TTC CAG GCC ACC CTT CCC CAG CGC AAC AGC CCT TTC AAA ACC GCC 2352 2361 2370 2379 V H G H D Y F D D E D D D A D L CCG TTC AAG CCA GTC CAC GGC CAC GAT TAC TTT GAC GAT GAA GAC GAT GCC GAC CTC 2412 2421 2430 ETYTST D S A A А Т ттт CTG GCA GCA GTA GAC AGC GCC GAG ACG TAT ACT TCT ACG GCC GCC ACC ACC ACC AAC 2463 2472 2481 2490 2499 N N H L R S Q S V M S T T A S T T I AAC AAC AAT CAC TTA CGA TCA CAA TCG GTG ATG TCA ACA TCC ACG GCG ACC ACG ATC AAA 2532 2541 2550 2559 E N A N A K K P K S V H A K CCG AGG AAA CGC AAC GAA AAT GCC AAT GCC AAG AAG CCC AAG TCC GTA CAT GCA AAG TTA 2592 2601 2610 2619 E K M K Y A W S N D V R K A TCG ATG CCG CCC GAA AAG ATG AAG TAT GCG TGG TCG AAT GAT GTG AGG AAG GCT CTC AAG 2652 2643 2661 2670 2679 2688 M S G F R Q <u>N</u> Q L E A I N GAT AGG TTT CGG ATG TCG GGG TTC AGA CAG AAT CAG TTG GAG GCT ATT AAT GCT ACT TTG 2703 2712 2721 2730 2739 2748 G G K D A F V L M P T G G G K S L C Y Q GGT GGT AAG GAT GCC TTT GTG TTG ATG CCG ACT GGT GGA AAG TCT CTG TGC TAT CAG 2763 2772 2781 2790 2799 2808

L P A V V R S G K T R G I T V V I S P L
TTG CCG GCT GTA GTC AGG AGC GGC AAG ACG CGT GGT ATC ACA GTC GTC ATC TCC CCT CTG 2823 2832 2841 2850 2859 L S L M L D Q V N H L A N L M I Q A Y A
CTA AGT CTG ATG CTG GAT CAA GTC AAC CAT TTG GCA AAC CTG ATG ATC CAA GCT TAC GCT 2883 2892 2901 2910 M N S E M R R M V F Q D TTC AAC GGA GAC ATG AAC TCA GAA ATG CGC CGA ATG GTG TTT CAG AAG CTT GAT GCT GAG 2952 2961 2970 2979 ELQLLYVTPEMV CAT CCT GAG CAT GAG CTC CAA CTG CTC TAT GTC ACC CCG GAG ATG GTG AGC AAG AAC CAG 3012 3021 3039 3030 V N K M M D L Y R R K K ACA TTC GTC AAC AAG ATG ATG GAC CTC TAC CGG AGG AAA AAG CTG GCT AGA ATT GTT ATC 3072 3081 3090 3099 D E A H C V S Q W G H D F R P D Y K A I GAC GAG GCT CAC TGC GTC AGT CAA TGG GGC CAT GAC TTC CGA CCC GAT TAC AAA GCT ATA 3123 3132 3141 3150 G V P M A GGA GAG TTT CGT AAG AGG TTT CCC GGA GTT CCG GTC ATG GCT TTG ACA GCG ACG GCA ACA 3183 3192 3201 3210 3219 Q N V I L D V K H N L A M E D C Q T F S CAG AAC GTC AAC CAT AAC CTG GCA ATG GAG GAC TGC CAG ACT TTC TCC 3243 3252 3261 3270 Y Y E V R M K E Q N CAG AGC TTT AAT CGG CCG AAC CTC TAC TAT GAG GTC AGG ATG AAG GAG CAG AAT CTG ATT 3303 3312 3321 3330 3339 K E K Y D G Q T G I I Y GCC CGC ATC GCA GAG TTG ATC AAG GAG AAG TAT GAC GGC CAG ACG GGT ATC ATC TAC ACA 3372 3381 3390 3399 3408 I A K N L Q E K H R A E N TTA TCA AGA AAG AGT GCC GAG AAC ATC GCC AAA AAT CTC CAG GAA AAA CAC CGC ATC AAA 3423 3432 3441 3450 3459 3468 I T T D E K I S V GCA AAG CAC TAC CAT GCC TCC ATC ACC ACC GAC GAA AAG ATC AGC GTT CAA CAT GAA TGG 3483 3492 3501 3510 3519 3528 Q T G R V K V V V A T I A F G M G I D K CAA ACC GGC CGA GTC AAA GTC GTG GTA GCC ACC ATT GCC TTC GGC ATG GGC ATC GAC AAG 3543 3552 3561 3570 3579 P D V R F V I H Q H I P K S L E G Y Y Q CCT GAC GTC CGC TTT GTT ATC CAC CAG CAC ATC CCC AAG TCG CTC GAA GGT TAC TAT CAA 3612 3621 3630 3639 3648 E T G R A G R D G K P S D C Y L Y F A Y GAA ACC GGC GGC GGA CGT GAC GGC AAG CCA TCG GAC TGC TAC TTG TAC TTT GCC TAT 3663 3672 3681 3690 3699 3708 SLRRMIADGEGDYA GGC GAC ATT CAA TCC CTA CGT CGT ATG ATC GCC GAC GGC GAA GGT GAC TAC GCG CAA AAG 3723 3732 3741 3750 3759 3768

N R V V S Y C E M L GAG CGT CAG CTA CAA ATG CTC AAC CGT GTG GTC AGC TAT TGC GAG TCG CAG CAC ACG TGC 3783 3792 3801 3810 3819 3828 E L R Y F G E E F D Y R CGG CGC GAA GAA GTG CTC CGC TAC TTT GGC GAG GAG TTT GAC TAC CGG AAG TGT AGA GAC 3843 3852 3861 3870 3879 G C D N C R N G R I S K S T E M R D F T GGA TGC GAT AAC TGC CGG AAC GGA CGC ATC TCG AAG TCG ACG GAG ATG AGG GAT TTT ACG 3912 3921 3930 3939 I E V V K QQPI GAA ATC GCC TTC GCC GCG ATC GAG GTG GTG AAG AGC CAG CAG CCC ATC ACG CTG GGC AAG 3972 3981 3990 3999 D I L M G K R K N E H G G V C H F C CTG TGC GAC ATC CTG ATG GGC AAG AGA AAG AAC GAG CAC GGT GGC GTG TGT CAC TTT GGT 4032 4041 4050 KGST Q R E LQRIVLQ ATC GCC AAG GGG AGC ACG CAG AGG GAG CTG CAG AGG ATC GTG CTG CAG CTG AAT TTC CAC 4092 4101 4110 Ε D NIMNGAGMPI AAG GCG CTG GGC GAG GAC AAT ATC ATG AAT GGG GCG GGG ATG CCT ATT ACC TAC TAT ATT 4161 4170 4179 AGAYLYNGKRLM E ACC GGC CCT GAA GCT GGT GCT TAC CTC TAC AAT GGC AAG CGG TTG ATG CTG CCA GTT CCC 4212 4221 4230 4239 V E P P S R SKQRSR TCA AAC AAG TCC GTC GAA CCC CCG TCT CGG TCT AAG CAG CGG AGC CGT CGA GTC GAT GAG 4272 4281 4290 4299 QELSTLQRP P T S GAT ATG GAT GAG CAA GAA CTT TCC ACC CTG CAA CGA CCG CCA ACA TCA ACA AAT GTC TCT 4332 4341 4350 4359 A T K K R S S K K A L P TCA CCC GTT CGA GCC ACC AAG AAA CGA AGT TCC AAA AAG GCT TTA CCG ACC CTC ATC GCC 4401 4410 4419 D G P H G P P S S L H A N G Y GAC TAC GAA GAG CCC AGC TCC GAC GGT CCT CAC GGT CCT CTC CAC GCC AAC GGC TAT GAG 4452 4461 4470 4479 v v s. E P E D N V EEEDAF CGC GAT AAC TTT GTC GTA TCC GAT AAT GTT GAA CCC GAA GAG GAA GAA GAT GCC TTC GAA 4503 4512 4521 4530 4539 P S R R G SRATRPQHR CCT GTC CGC CCC TCG CGG CGC CCA TCT TCT CGC GCT ACC CGC CCT CAA CAC CGC CAG 4563 4572 4581 4590 4599 T L S H T Q Q S Q T V S Q H L Y D ACC ACC CTT TAT GAC ACC CTC TCC CAC ACC CAA CAA TCC CAA ACC GTC TCC CAA CAC CTC 4623 4632 4641 4650 4659 T L G P P I D A R T M H N P R Y A Q GCC ACT TTG GGT CCG CCC ATC GAC GCC CGC ACC ATG CAT AAC CCC CGC TAC GCC CAG CTT 4683 4692 4701 4710 4719

D E V H Q D I V D A F V E E V K V F E GAC GAG GTC CAC CAG GAT ATT GTC GAT GCC TTT GTT GAA GAA GTC AAG GTC TTC GAG GAG 4752 4761 4770 4779 NRNHMRKPIFT Ε GAC TTT CGC AAC AGG AAC CAC ATG CGC AAA CCC ATC TTT ACC GAG ACG CAG TAC CGT GAG 4812 4821 4830 4839 R TRSLDAMRAIP ATG GCA ATC CGG TGG ACG CGG TCG TTA GAC GCG ATG CGC GCG ATC CCG GAT ATC AAC CAG 4872 4881 4890 V D R Y G AKFIPL VERFWG GAT AAA GTA GAT CGG TAT GGT GCC AAA TTC ATC CCA CTT GTG GAG CGG TTC TGG GGG AAT 4932 4941 4950 4959 GGGYDNPAVAG M M TAT CAG GAG ATG ATG GGG GGA GGG TAT GAT AAT CCT GCT GTG GCT GGC GAT GAG GAT 4992 5010 5001 5019 R R T G N G K G G N K K GGG 5052 5061 5070 5079 E V V DLISSD E D E P P A 5112 5121 5130 5139 N A G RGKAQS TRGGQI GCA CCA TCG CGG AAT GCG GGG CGA GGA AAG GCA CAG TCG ACA CGT GGG GGA CAA ATC CAA 5172 5181 5190 5199 V N RRGEPIAEEDEE GAT AAA GGC CGA GCA GTC AAC CGC CGC GGA GAA CCC ATC GCC GAA GAA GAC GAA GAA 5241 5250 5259 P D IDAIDPDAITAS TAC GGG CTA AGC GAC CCC GAT ATC GAC GCC ATC GAT CCA GAC GCC ATC ACC GCC TCC GAC 5292 5301 5310 5319 E E D D D D D E D L E S S R AAC TCC GAC GAA GAA GAT GAT GAT GAT GAC GAA GAC CTC GAA TCC TCC CGC TAC TTC 5352 5343 5361 5370 5379 5388 G P P V S K A V Q D A R L R E TCC GGC TCA ACA GGC CCG CCC GTC TCC AAA GCC GTG CAG GAT GCT CGA CTC CGT GAA CAA 5403 5412 5421 5430 5439 M Y A S G G S S S K G S Y G SGR CTT TCC ATG TAC GCC TCC GGC GGC AGC TCT TCG AAA GGT AGC TAC GGC TCA GGG CGC GCA 5472 5481 5490 5499 SSRASGSGW R G G G A G GTCA GGA GGA TCT TCG TCG AGA GCG TCG GGA TCA GGA TGG AGA GGT GGA GGA GGT GGG 5523 5541 5550 5532 5559 SSAAGG 5583 5592 5601 5610 5619 G G G V T K R K A S G S G A K T A R K GGA GGG GGA GTT ACA AAA CGG AAG GCG AGT GGG AGT GGC GCG AAG ACG GCG AGG AAG AGG 5652 5661 5670 5679



SEQUENCE LISTING

```
<110> Università degli studi di Roma La Sapienza
      Macino, Giuseppe
      Cogoni, Carlo
<120> Isolation and characterization of a N. crassa silencing
      gene and uses therof
<130> PC
<140>
<141>
<160> 3
<170> PatentIn Ver. 2.1
<210> 1
<211> 6916
<212> DNA
<213> Neurospora crassa
<400> 1
ccaccaccac caccaccacc acaacaacca actcaacaac gaactcaaca accaacccca 60
aacccaacct cgacctcaac ctcaacctca acccttgcga cctcgagata cacaaacaca 120
tcctcgacaa atgacgcccg acccgctaca cgccaacaga ttgcccccga ggtaggagca 180
tcgacgcatc aggattcagt tggacttgga gaaggaggag gaggaggaat ggcgaagctc 240
tcagtcaaga acaacctgcc acggccgcac ttggtctcct tgtcgtcgtc aacgacaggc 300
totgggtotg gttotgcgto taggtoagot totgctaago acqqaaqtgo cqqttocaqt 360
acctttgatc atgaacaaca tcaacaacat caacaacaac aacaacaaa gcgccagcgg 420
togcaatcag aagcacgaca acagcagcag caacagcaac accaacagca acagcaacaa 480
caacaacaac aagcacagca ccatgcacat tctacatatg cacaaagacc ccaacccacc 540
ccccaacac gaccaccca aaacctactg acacctgctt caaccactgg tgccagcgtc 600
ggcccgctcc aacgcgcata ctcggtttca ttagctgcga gacagtcccc ctcgacaaac 660
ttggtccgtc caaagaccga ctcgccagct ccccacactt tacacctcaa gaacaagaag 720
aacctccgtc accccgccc cacgcccgac agtccgatcg tagacgacga tattttctcc 780
gacgccgtcg atcttaccga agaactcgat catgaccatg atctcaacgg caaagacaaa 840
gacaacaccg acaacgacaa cacagtcgct tccagttcgc taatagggtt cggcgatgac 900
aagttactgt ggcgagagga ctttgctgag cgtgcagagc ccgaacatga aagaggtggg 960
agcaggeete gecaggteaa gaaacggaag atategaatg actacattat gaaggatgag 1020
gatgtctcgc tttttgatga tgatggcgag gaggacgagt ttatggatat caatgagcta 1080
gttcaggggg atcgggaaag tactccgaag ccaaaqgcta catcgaggtc tqtctcqacg 1140
aggetgeege ctacagtate getgeaacgg ggteggtete ctaagaggaa ggaggettea 1200
gttgaaaagc gcacaacgga aaaccagcaa caggctgaca gagaagacga accgtcgttt 1260
atgtcaagtc cagatgtcga caactcccgc aagcgaaagt cttctggatc gcccacaggt 1320
ttaacgacgc caagacccca gcagaagcaa acggaagagg tcccaggtac gaccaccgcc 1380
aagaagccac ggcgcagtga agtgatggac tcggaggacg aggcattcac tcctctttct 1440
```

```
gctgggtcgc tgcctgggag tgcggagttc ttcagaagcg gtgggaccac cacacgggaa 1500
ttgggtttgg acgaagacac ggttatggac acgcctagta ggccaccggt cgagtccact 1560
ttgccaactc tcgagtctgt ggaaagtcga ccacccccc tgccgcccat ggatctacca 1620
tcacagcgaa aaccgctaga gccgttgaac actccgcgca accagctgct tgagtcggtc 1680
gaaaggccaa cacagcagcc gtcggtgggg ccgagttttg cacagagtag cacactcgcc 1740
gaaagctccc tgccgccgtc aatgccgccg ccaagtgaag acccctcaa caccagggag 1800
aacagcaacc ttgaggagtt cgactacaag ctttacaaac ccctgctaga tcttttcgtc 1860
aacgcacccg caatcttgga aagagaactg agcgccgtta atgacgagct tcaggagaac 1920
atgatcaagc tgcgggactg tctgcgcctg cccagggaag aaagagacag ggcacgcgaa 1980
gaggtgaaga aggaaaagga aatgctcaag cgacgggaca ttgcgctcag agccctccag 2040
gacgaacaca agttgtacgt caagaaacgc aaagagcata atttgatcaa cgaggaaatc 2100
gttcgcgctt atgctgaaga agacgatgag tacgaggatc agttaatggc gcagctggac 2160
aagttiggatg atgaggttga ggctatcgta aagagtctga caaggcttat tgtggcggcg 2220
gggatcacgg agaagagctt tgacctaaag aaggaggagg aagaggagga ggagaagccg 2280
atcatcatag cgacteegae acettegaeg aggacegagg ceeeggttet geegaegaee 2340
gagtatcata attoccagca ggtcatattg cagactcaac atcctgctgc gcagcaggtt 2400
tctcaccggg tgccaccacc tccgacaccg agttttcaaa cggcgcgcca gactccggtg 2460
tcatatcaga gcagaccgac caacaactcc tttcctgata tctcggcgga agaagccatg 2520
atgttcgata aagaagacce etteatggaa caacageacg eeeeggeete tgeteeette 2580
caggccaccc ttccccagcg caacagccct ttcaaaaccg ccccgttcaa gccagtccac 2640
ggccacgatt actttgacga tgaagacgac gatgccgacc tcctggcagc agtagacagc 2700
gccgagacgt atacttctac ggccgccacc accaccacca acaacaacaa tcacttacga 2760
tcacaatcgg tgatgtcaac atccacggcg accacgatca aaccgaggaa acgcaacgaa 2820
aatgccaatg ccaagaagcc caagtccgta catgcaaagt tatcgatgcc gcccgaaaag 2880
atgaagtatg cgtggtcgaa tgatgtgagg aaggctctca aggataggtt tcggatgtcg 2940
gggttcagac agaatcagtt ggaggctatt aatgctactt tgggtggtaa ggtgagttct 3000
ctgtccttta cctatctggg agagaccaag aaggagagag agagagaga gaggggaaga 3060
cgaaaatgga ctttgctgac tctagaaagg atgcctttgt gttgatgccg actggtggtg 3120
gaaagtetet gtgetateag ttgeeggetg tagteaggag eggeaagaeg egtggtatea 3180
cagtcgtcat ctcccctctg ctaagtctga tgctggatca agtcaaccat ttggcaaacc 3240
tgatgatcca agcttacgct ttcaacggag acatgaactc agaaatgcgc cgaatggtgt 3300
ttcagaaget tgatgetgag cateetgage atgageteea actgetetat gtcaceeegg 3360
agatggtgag caagaaccag acattcgtca acaagatgat ggacctctac cggaggaaaa 3420
agctggctag aattgttatc gacgaggctc actgcgtcag tcaatggggc catgacttcc 3480
gacccgatta caaagctata ggagagtttc gtaagaggtt tcccggagtt ccggtcatgg 3540
ctttgacagc gacggcaaca cagaacgtca tcttggatgt caagcataac ctggcaatgg 3600
aggactgcca gactttctcc cagagcttta atcggccgaa cctctactat gaggtcagga 3660
tgaaggagca gaatctgatt gcccgcatcg cagagttgat caaggagaag tatgacggcc 3720
agacgggtat catctacaca ttatcaagaa agagtgccga gaacatcgcc aaaaatctcc 3780
aggaaaaaca ccgcatcaaa gcaaagcact accatgcctc catcaccacc gacgaaaaga 3840
tragregation acategaateg caaacegee gagtraaagt egtegetagee accattegeet 3900
teggeatggg categaeaag cetgaegtee getttgttat ceaceageae ateceeaagt 3960
cgctcgaagg ttactatcaa gaaaccggcc gcgccggacg tgacggcaag ccatcggact 4020
gctacttgta ctttgcctat ggcgacattc aatccctacg tcgtatgatc gccgacggcg 4080
aaggtgacta cgcgcaaaag gagcgtcagc tacaaatgct caaccgtgtg gtcagctatt 4140
gcgagtcgca gcacacgtgc cggcgcgaag aagtgctccg ctactttggc gaggagtttg 4200
actaccggaa gtgtagagac ggatgcgata actgccggaa cggacgcatc tcgaagtcga 4260
cggagatgag ggattttacg gaaatcgcct tcgccgcgat cgaggtggtg aagagccagc 4320
```

agcccatcac	gctgggcaag	ctgtgcgaca	tcctgatggg	caagagaaag	aacgagcacg	4380
				•	cagaggatcg	
					ggggcgggga	
					ctggctttgt	
					acctctacaa	
					cgtctcggtc	
					ccaccctgca	
					aacgaagttc	
					acggtcctca	
					ataatgttga	
					gcccatcttc	
					cccacaccca	
					acgcccgcac	
					tcgatgcctt	
					tgcgcaaacc	
					cgttagacgc	
					ccaaattcat	
cccacttgtg	gagcggttct	gggggaatta	tcaggagatg	atggggggag	ggtatgataa	5400
					gaaatggaaa	
aggggggaat	aagaagggag	gaggaggagg	aggaggaaat	gaagtagtgg	atttgattag	5520
					gaggaaaggc	
					gccgcggaga	
acccatcgcc	gaagaagacg	aagaagacta	cgggctaagc	gaccccgata	tcgacgccat	5700
cgatccagac	gccatcaccg	cctccgacaa	ctccgacgaa	gaagatgatg	atgatgatga	5760
cgaagacctc	gaatcctccc	gctacttctc	cggctcaaca	ggcccgcccg	tctccaaagc	5820
cgtgcaggat	gctcgactcc	gtgaacaact	ttccatgtac	gcctccggcg	gcagctcttc	5880
gaaaggtagc	tacggctcag	ggcgcgcatc	aggaggatct	tcgtcgagag	cgtcgggatc	5940
aggatggaga	ggtggaggag	caggtgggaa	gaaatactac	aggaagaaga	gggctggttc	6000
ttcggctgct	ggtggtggtg	gtgcaggagg	agggggagtt	acaaaacgga	aggcgagtgg	60.60
gagtggcgcg	aagacggcga	ggaagagggg	tgcatctact	gcgccgaaga	caacgacgag	6120
agggggagga	tctggagctg	ggtctagagg	aggcggtgct	ggtggtgctg	gtggtgctgg	6180
tgctggtgct	ggtgctggag	gagggaaaag	gggtggtgga	ggtggaggag	gaatgggagg	6240
gataagtgtt	atgcctcatt	agctattta	tagcatatcg	catttataca	gtgtcttatg	6300
gaagggagga	ggagaagaag	aaggataagc	tggcataagc	ttgaaccggc	caggccaaaa	6360
tggccagaga	gctcaccggg	caatcgagct	tgaaatgagc	ttgacatatt	aggtattccc	6420
gagaatatag	cgggattaca	aggcacttac	tttaccaagt	cgaaagggac	gagccaaatc	6480
tatggtactc	gccagttgcg	caacgttgag	ttttatcatt	cgtggagttt	tcatcgtgga	6540
gtttttatta	tcaactattc	gttgtatagt	tttcgttgta	gatgttagtt	ccggacgatc	6600
aaaaggggaa	gtgtggaaca	gagaagtcga	aaggacaagc	caaaatgaca	tggcagtgtc	6660
cagtcagata	ccctccagac	aaaaccagac	accaataaca	aacccttcaa	ccataacacc	6720
agcaaagcca	atccttaggt	acctacctag	ggtagggtag	gtccaggaat	gtcttcccca	6780
aaggtacctc	tacttattca	tgttacgctc	catcagtccc	atcgcttagc	atcgctgccc	6840
ggttacctat	ctctacctct	acctctacct	ctacctctac	ctctacctct	acctctatct	6900
ctacctctac	ctctac					6916

<21	3> N	euro	spor	a cr	assa							•				
	1> C		(586	3)												
	_ · •	-,	,	- •												
	0> 2															
_		-	ctc											-	-	48
met 1	Ата	гÀг	Leu	5e1	vaı	гÀ2	ASII	ASII	10	PIO	ALG	PIO	nis	15	vai	
-				J										13		
tcc	ttg	tcg	tcg	tca	acg	aca	ggc	tct	ggg	tct	ggt	tct	gcg	tct	agg	96
Ser	Leu	Ser	Ser	Ser	Thr	Thr	Gly	Ser	Gly	Ser	Gly	Ser	Ala	Ser	Arg	
			20					25					30			
				225		~~~	t	~~~	+	+	200	200				144
	_		gct Ala								-			_		144
001	1114	35		_,		017	40		O. J	001		45		1100	*****	
gaa	caa	cat	caa	caa	cat	caa	caa	caa	caa	caa	caa	aag	cgc	cag	cgg	192
Glu		His	Gln	Gln	His		Gln	Gln	Gln	Gļn		Lys	Arg	Gln	Arg	
	50					55					60					
tca	caa	tca	gaa	gca	cga	caa	cag	cag	caσ	caa	cad	саа	cad	caa	cad	240
			Glu													2.0
65					70					. 75					80	
			•													
	_		caa					_	_							288
Gln	Gln	Gln	Gln		Gln	Gln	Gln	Ala		His	His	Ala	His		Thr	
				85					90					95		
tat	gca	caa	aga	ccc	caa	ccc	acc	ccc	caa	caa	cga	cca	ccc	caa	aac	336
			Arg													
			100					105					110			
			cct													384
Leu	Leu	115	Pro	Ата	ser	Thr	120	GTÀ	Ата	ser	vaı	125	Pro	Leu	GIN	
		113					120					123				
cgc	gca	tac	tcg	gtt	tca	tta	gct	gcg	aga	cag	tcc	cçc	tcg	aca	aac	432
Arg	Ala	Tyr	Ser	Val	Ser	Leu	Ala	Ala	Arg	Gln	Ser	Pro	Ser	Thr	Asn	
	130					135					140					
										•						
_	-	-	cca	_		_	_		-							480
Leu 145	val	Arg	Pro	ьys	150	ASP	ser	rro	нта	155	nlS	ınr	ьeu	п1S	160	
747					100					100					100	

<212> DNA

_		_	-			-			Ala	ccc Pro	-		-	_	•	528
				165					170					175		
										gtc					•	576
Ile	Val	Asp	180	Asp	Ile	Phe	Ser	185	Ala	Val	Asp	Leu	190	Glu	Glu	
	-		_		_					gac		_			•	624
		195					200			Asp		205			-	
	_			_	-					ata				_	•	672
	210					215				Ile	220		_	-		
										cgt						720
-	Leu	Leu	Trp	Arg		Asp	Pne	Ата	Glu	Arg	Ата	GLU	Pro	GIu		
225	202	aat	aaa	200	230	cct	cac	cag	ata	235 aag	222	caa	220	a+ a	240	768
_	_			_			_	_	-	Lys			-		_	/00
	9	0.1,	0 -1	245	9			02	250	2,0			270	255	,	
										tcg						816
Asn	Asp	Tyr	11e 260	Met	Lys	Asp	Glu	Asp 265	Val	Ser	Leu	Phe	Asp 270	Asp	Asp	
		-	-			_	_			gag		-	-		-	864
Gly	Glu	Glu 275	Asp	Glu	Phe		Asp 280	Ile	Asn	Glu	Leu	Val 285	Gln	Gly	Asp	
	-	_		_	_		_	_		tcg			_	_	•	912
Arg	Glu 290	Ser	Thr	Pro	Lys	Pro 295	Lys	Ala	Thr	Ser ,	Arg 300	Ser	Val	Ser	Thr	
										ggt				-		960
Arg 305	Leu	Pro	Pro		Val 310	Ser	Leu	Gln	Arg	Gly 315	Arg	Ser	Pro	Lys	Arg 320	
aag	gag	gct	tca	gtt	gaa	aag	cgc	aca	acg.	gaa	aac	cag	caa	cag	gct	1008
Lys	Glu	Ala	Ser	Val 325	Glu	Lys	Arg	Thr	Thr 330	Glu	Asn	Gln	Gln	G1n 335	Ala	
								_		agt		-	_	_		1056
Asp	Arg	Glu	Asp 340	Glu	Pro	Ser	Phe	Met 345	Ser	Ser	Pro	Asp	Val 350	Asp	Asn	

		-									_	•	cca Pro	1104
							gtc Val						gcc Ala	1152
				-	-	_	gac Asp			-		_		1200
							ggg Gly 410			_			_	1248
				-	-	_	ggt Gly			-	-	_	_	1296
		-			_	_	gag Glu			_				1344
	-	-	-				ctg Leu	_		_	-			1392
							aac Asn		-	-		_	•	1440
							cag Gln 490							1488
							agc Ser							1536
							acc Thr							1584
							ccc Pro	_		_			-	1632

												-		gac Asp	-	1680
545					550					555				•	560	
											-	_	-	ccc		1728
Leu	Gln	Glu	Asn	Met 565		Lys	Leu	Arg	Asp 570	Cys	Leu	Arg	Leu	Pro 575	Arg	
													_	gaa	_	1776
			580					585			_		590	Glu		
												_	_	cac	_	1824
Leu	rys	595	Arg	Asp	lle	Ala	600	Arg	Ala	Leu	Gln	Asp 605	Glu	His	Lys	
										_				gaa		1872
	610					615					620			Glu		
											_	_	_	tta	-	1920
625	Arg	ALA	Tyr	AIA	630	GIU	Asp	Asp	Glu	Tyr 635	Glu	Asp	Gln	Leu	Met 640	
													_	aag	_	1968
				645					650					Lys 655		
														ttt	-	2016
Leu	Thr	Arg	660 Leu	TIE	Val	Ala	Ala	665	IIe	Thr	Glu	Lys	Ser 670	Phe	Asp	
														ata		2064
		675					680					68 <i>5</i>		Ile		
														acg		2112
	690					695					700			Thr		
														cct	-	2160
705	ıyr	nış	ASN	ser	710	GIN	val	TIE	Leu	G1n 715	Tnr	GIN	His	Pro	Ala 720	
														agt		2208
AIA	GIN	GIN	val	Ser 725	His	Arg	Val	Pro	Pro 730	Pro	Pro	Thr		Ser 735	Phe	

			Gln		_			Туг	cag Gln				Thr		2256
							Glu		gcc Ala				-		2304
									ccg Pro						2352
							-		ttc Phe 795			-	-		2400
								-	gat Asp	-	-	_	_	-	2448
	_	_	_	-	_	_	-	-	acg Thr				_	-	2496
									tta Leu	-			_		2544
									ccg Pro	-		_		_	2592
								-	cat His 875	-	_		Ser	_	2640
									aat Asn		-		-	_	2688
									aga Arg						2736
Ile									gcc Ala	Phe					2784

acc	990	990	gga	aay	CCC	cty	cyc	cac	cay	ccy	ccy	get	yıa	gu	agg	2832
Thr	Gly	Gly	Gly	Lys	Ser	Leu	Cys	Tyr	Gln	Leu	Pro	Äla	Val	Val	Arg	
	930					935		_			940					
200	~~~	224	200	+		-+-					.					
													_		agt	2880
Ser	Gly	Lys	Thr	Arg	Gly	Ile	Thr	Val	Val	Ile	Ser	Pro	Leu	Leu	Ser	
945					950					955					960	
ctg	atq	ctg	gat	caa	gtc	aac	cat	tta	qca	aac	ctg	ato	atc	caa	act	2928
											_	_			Ala	
				965				DC u		11311	Deu	ricc	116			
				903					970					975		
										-	cgc	_	_			2976
Tyr	Ala	Phe	Asn	Gly	Asp	Met	Asn	Ser	Glu	Met	Arg	Arg	Met	Val	Phe	
			980					985					990			
caq	aag	ctt	gat	act	gag	cat	cct	σασ	cat	gag	ctc	caa	cta	ctc	tat	3024
											Leu		_			0021
	-,5	995		*****	014			GIU	1113	σ±α			пеп	Бец	1 y L	
		223				•	1000				-	1005				
											ttc	_		_	_	3072
Val	Thr	Pro	Glu	Met	Val	Ser	Lys	Asn	Gln	Thr	Phe	Val	Asn	Lys	Met	
1	1010				1	1015				-	1020					
atq	qac	ctc	tac	caa	agg	aaa	aaσ	cta	act	aga	att	att	atc	σac	gag	3120
							_	_	_	_	Ile	-		-		5225
1025			-,-		1030	_,0	2,5	200		1035	110	• • • •	110	_		
102.	,			-	1030				_	.033				•	1040	
											cga		_			3168
Ala	His	Cys	Val	Ser	Gln	Trp	Gly	His	Asp	Phe	Arg	Pro	Asp	Tyr	Lys	
			1	.045				1	.050				1	055		
gct	ata	gga	gag	ttt	cgt	aag	agg	ttt	ccc	qqa	gtt	ccq	atc	atq	act	3216
			_		-	_					Val	_	-	-	-	
			060		5	-1-		065		U- J			.070			
		•	.000				-	.005	*			-	.0,0			
											gat	-	_			3264
Leu	Thr	Ala	Thr	Ala	Thr	Gln	Asn	Val	Ile	Leu	Asp	Val	Lys	His	Asn	
	1	.075				1	080				1	.085				
ctg	gca	atg	gag	gac	tgc	caq	act	ttc	tcc	caq	agc	ttt	aat	caa	cca	3312
_	_	_		_	-	_				-	Ser				_	
	090					.095					100				-10	
1					1	.093				1	.100					
_																
											aat	_		_	-	3360
Asn	Leu	Tyr	Tyr	Glu	Val	Arg	Met	Lys	Glu	Gln	Asn	Leu	Ile	Ala	Arg	
1105				1	110				1	115				1	120	

atc	gca	gaç	, ttg	ato	aag	gag	aag	tat	gac	ggc	cag	acg	ggt	ate	c atc	3408
Ile	Ala	Glu	Leu	Ile	Lys	Glu	Lys	Tyr	Asp	Gly	Gln	Thr	Gly	/ Ile	e Ile	
				1125			٠		1130					1135	5	
tac	aca	tta	tca	aga	aag	agt	gcc	gag	aac	ato	gco	aaa	aat	cto	cag	3456
															Gln	0.00
-			1140					1145				_	1150		2 0111	
													1130			
gaa	aaa	cac	cac	atc	aaa	aca	aad	cac	tac	cat	acc	tcc	a+ c	200	acc	2504
															Thr	3504
		1155			נעם		БуЗ 1160	1113	ıyı	HIS		1165	TTE	Ini	inr	
		-100					1100					1105				
aac	 gaa	aan	atc	200	att	C22	cat	4 22	+ ~~	633	200	~~~			aaa	2550
													_	_	: aaa . Lys	3552
	170	БУЗ	116	set		1175	пта	GIU	irp			GIĀ	Arg	val	Lys	
	1170					11/3				•	1180					
ata	ata	a+ >	acc	200	2++	~~~								٥.		
															gac	3600
1185		Val	MIG			АТА	Pne	GIÀ			тте	Asp	ьуs		Asp	
1100	,			-	1190				•	1195					1200	
-t-																
															tac	3648
vaı	Arg	Pne		Ile	HIS	GIn	His			Lys	Ser	Leu		-	-	
			-	1205				1	1210				:	1215		
				ggc									_	-	_	3696
ryr	GIN			Gly	Arg	Ala			Asp	Gly	Lys	Pro	Ser	Asp	Cys	
		-	1220]	.225				1	.230			
				gcc								-	_	_		3744
Tyr			Phe	Ala	Tyr			Ile	Gln	Ser	Leu	Arg	Arg	Met	Ile	
]	L235				1	240				1	.245				
				ggt												3792
		Gly	Glu	Gly			Ala	Gln	Lys	Glu	Arg	Gln	Leu	Gln	Met	
1	250				1	255				1	.260					
				gtc												3840
Leu .	Asn	Arg	Val	Val	Ser	Tyr	Cys	Glu	Ser	Gln	His	Thr	Cys	Arg	Arg	
1265				1	270				1	275				1	1280	
gaa	gaa	gtg	ctc	cgc	tac	ttt	ggc	gag	gag	ttt	gac	tac	cgg	aag	tgt	3888
				Arg												
				285					290		-		_	295	-	
aga (gac	gga	tgc	gat	aac	tgc	cgg	aac	gga	cqc	atc	tca .	aaa	tca	аса	3936
				Asp .												-
-	-		300	-		-		305	- 4	- 3			210			

gag	atg	agg	gat	ttt	acg	gaa	atc	gcc	ttc	gcc	gcg	atc	gag	gtg	gtg	3984
Glu	Met	Arg	Asp	Phe	Thr	Glu	Ile	Ala	Phe	Ala	Ala	Ile	Glu	Val	Val	
	•	1315					1320					1325				
aag	agc	cag	cag	ccc	atc	acg	ctg	ggc	aag	ctg	tgc	gac	atc	ctg	atg	4032
Lys	Ser	Gln	Gln	Pro	Ile	Thr	Leu	Gly	Lys	Leu	Cys	Asp	Ile	Leu	Met	
	L330					1335		•	-		1340	•				
_																
aac	220	2072	220	330	asa	Cac	aat		ata	tat	cac	+++	aat	2+4	~~~	4080
	-	-	_					-							-	4000
	_	ALG	rÃ2			urs	GIA	GTA		_	His	rne	GIY			
1345)			•	1350				-	1355				-	1360	
_		_	_	_			-	_			gtg	_	_	_		4128
Lys	Gly	Ser	Thr	Gln	Arg	Glu	Leu	Gln	Arg	Ile	Val	Leu	Gln	Leu	Asn	
			1	1365				1	.370				•	1375		
•																
ttc	cac	aag	gcg	ctg	ggc	gag	gac	aat	atc	atg	aat	ggg	gcg	ggg	atg	4176
Phe	His	Lys	Ala	Leu	Gly	Glu	Asp	Asn	Ile	Met	Asn	Gly	Ala	Gly	Met	
		1	1380				1	1385				1	1390			
cct	att	acc	tac	tat	att	acc	ggc	cct	gaa	gct	ggt	qct	tac	ctc	tac	4224
											Gly	_				
		395	- 2	-1-			400					1405	-1-		-]	
	-					-					-					
aat	aac	227	caa	tta	ata	cta	CCS	att	ccc	tca	aac	220	tcc	atc	722	4272
		_		_	-	_		_			Asn	_		_	-	. 4212
	410	цуз	ALY	пеп		1415	FLO	Val	FLO		1420	Буз	SET	Vai	Giu	
,	410					1413					1420					
																4220
	_				-	-		-	_	_	gtc	-		-	_	4320
		Ser	Arg		_	GIn	Arg	Ser	_	_	Val	Asp	GIu	-		
1425)]	430				1	435				1	.440	
gat	gag	caa	gaa	ctt	tcc	acc	ctg	caa	cga	ccg	cca	aca	tca	aca	aat	4368
Asp	Glu	Gln	Glu	Leu	Ser	Thr	Leu	Gln	Arg	Pro	Pro	Thr	Ser	Thr	Asn	
			3	445				1	450				1	455		
gtc	tct	tca	ccc	gtt	cga	gcc	acc	aag	aaa	cga	agt	tcc	aaa	aag	gct	4416
Val	Ser	Ser	Pro	Val	Arg	Ala	Thr	Lys	Lys	Arg	Ser	Ser	Lys	Lys	Ala	
		1	460				. 1	465				1	470			
tta	cca	acc	ctc	atc	acc	дас	tac	gaa	gag	CCC	agc	tcc	gac	aat	cct	4464
					-			_			Ser		_			
БСС		475	Deu	110		_	480	OLU	014	110		485	, wp	OL y	110	
	2	. 4 / J					.100					.405				
			- de -					.		<i>:</i>			***			4510
								•		-	gat -					4512
		rro	Leu	HIS			GŢĀ	Tyr	GLu		Asp	Asn	Phe	val	val	
1	490				1	495			•	1	1500					

				gaa											-	4560
		Asn	Val	Glu	Pro	Glu	Glu	Glu	Glu	Asp	Ala	Phe	Glu	Pro	Val	
150	5				1510					1515					1520	
cgc	ccc	tcg	cgg	cgc	ggc	cca	tct	tct	cgc	gct	acc	cgc	cct	caa	cac	4608
				Arg												
				1525	_				1530			,		1535		
cac	cag	acc	acc	ctt	tat	gac	acc	ctc	tec	cac	acc	caa	caa	ton	C22	1656
				Leu												4656
9			1540	Deu	- y -	nsp		1545	261	HITS	1111			ser	GIN	
		•	1340					1343				•	1550			,
	~+~															
				cac										-	_	4704
Inr			GIn	His	Leu			Leu	Gly	Pro	Pro	Ile	Asp	Ala	Arg	
		1555					1560				•	1565				
acc	atg	cat	aac	ccc	cgc	tac	gcc	cag	ctt	gac	gag	gtc	cac	cag	gat	4752
Thr	Met	His	Asn	Pro	Arg	Tyr	Ala	Gln	Leu	Asp	Glu	Val	His	Gln	Asp	
:	1570					1575					1580					
att	gtc	gat	gcc	ttt	gtt	gaa	gaa	gtc	aag	gtc	ttc	gag	gag	gac	ttt	4800
				Phe										-		
1585		-			590					1595				_	1600	
									•					•		
cac	aac	agg	aac	cac	ato	cac	222	ccc	atc	+++	200	asa.	200	6 2.4	t 2.0	4040
				His										-		4848
9	12011	my		1605	Mec	ALG	цуз		610	File	1111	GIU			Tyr	
			-	1003				1	.010				,	1615		
-a+	~~~															
				atc									-	_		4896
Arg	GIu			Ile	Arg	Trp	Thr	Arg	Ser	Leu	qzA	Ala	Met	Arg	Ala	
		1	.620				1	.625				1	.630			
				•												
atc	ccg	gat	atc	aac	cag	gat	aaa	gta	gat	cgg	tat	ggt	gcc	aaa	ttc	4944
Ile	Pro	Asp	Ile	Asn	Gln	Asp	Lys	Val	Asp	Arg	Tyr	Gly	Ala	Lys	Phe	
	1	635				1	640				1	645				
atc	cca	ctt	gtg	gag	cgg	ttc	tgg	ggg	aat	tat	cag	gag	atg	atq	aga	4992
				Glu									_	-		
	.650					655	•				660				1	
										_						
aga	aaa	tat	aat	aat	cc+	act	ata	act	aac	aat	~~~	ra+	σa+	a > +	~ ~~	5040
				Asn												5040
1665		- 7 -	-rap		670	ura	AGT	utq			OTT	usb	usb	-		
1000	,			1	070				1	675				1	.680	
				aca												5088
ЭŢХ	Pro	Arg		Thr	Gly	Asn	Gly	Lys	Gly	Gly	Asn	Lys	Lys	Gly	Gly	
			1	685				1	690				1	695		

														gat		5136
GIÀ	стА		1700	GIY	Asn	GIU		vaı 1705		ren	ille			Asp	Glu	
			1700					1703					1710	•		
gat	gaa	cct	ccq	gct	cqt	qca	cca	tcg	cgg	aat	aca	aaa	сσа	gga	aaα	5184
														Gly		3104
		1715			_		1720					1725		1	-,-	
gca	cag	tcg	aca	cgt	ggg	gga	caa	atc	caa	gat	aaa	ggc	cga	gca	gtc	5232
		Ser	Thr	Arg	Gly	Gly	Gln	Ile	Gln	Asp	Lys	Gly	Arg	Ala	Val	
-	1730					1735					1740					
													_	tac		5280
1745		Arg	GIĀ			iie	Ala	GIu			GIu	GLu	Asp	Tyr	-	
7/4	,			•	1750				•	1755					1760	
cta	agc	gac	ccc	gat	atc	gac	acc	atc	σat	сса	gac	acc	atc	acc	acc.	5328
														Thr	-	3320
		-		1765		•			1770		•			1775		
tcc	gac	aac	tcc	gac	gaa	gaa	gat	gat	gat	gat	gat	gac	gaa	gac	ctc	5376
Ser	Asp	Asn	Ser	Asp	Glu	Glu	Asp	Asp	Asp	Asp	Asp	Asp	Glu	Asp	Leu	
		1	1780				1	1785				1	1790			
													_	tcc		5424
GLU		Ser 1795	Arg	Tyr	Pne		.800	Ser	Thr	GIĄ			Val	Ser	Lys	
		1793				1	.000				,	1805				
acc	ata	caq	gat	act	caa	ctc	cat	gaa	caa	ctt	tcc	atσ	tac	acc	tcc	5472
												_		Ala		3472
	810		_			.815	,				820		3 -			•
ggc	ggc	agc	tct	tcg	aaa	ggt	agc	tac	ggc	tca	ggg	cgc	gca	tca	gga	5520
		Ser	Ser	Ser	Lys	Gly	Ser	Tyr	Gly	Ser	Gly	Arg	Ala	Ser	Gly	
1825	•			1	.830				1	835				1	840	
														gga	_	5568
GIĀ	ser	ser		Arg 845	Ата	ser	GIY			Trp	Arg	GLY	_	Gly	Ala	
			1	CFO				1	850				1	.855		
gat	qaa	aaa	aaa	tac	tac	agg	aar	aao	agg	act	aat	tet	tca	gct	act	5616
														Ala		
-	•		860	-	•	,		865	- 3		1		870			
ggt	ggt	ggt	ggt	gca	gga	gga	ggg	gga	gtt	aca	aaa	cgg	aag	gcg	agt	5664
														Ala		
	1	275				7	QQΛ				•	005				

Ser	Gly					Arg				Ala	Ser			•	5/12
			Arg	Gly	Gly			Gly	Ala	Gly			Gly	Gly	5760
		Gly	Ala	Gly			Gly	Ala	Gly			Ala	Gly		5808
	Arg	Gly				Gly	Gly				Gly	Ile	Ser		5856
Pro	His	tag													5868
2> PI	RT	spora	a cra	assa								-			
0> 3															
Ala	Lys	Leu		Val	Lys	Asn	Asn		Pro	Arg	Pro	His		Val	
ī.eu	Ser	Ser	_	Thr	Thr	Glv	Sor		Sar	Glu	802	מות		7~~	
204	JUL	20	DCI	****	****	Cly		GLY	Jer	GLY	Ser		Ser	nrg	
Ala	Ser	Ala	Lys	His	Gly	Ser		Gly	Ser	Ser	Thr		Asp	His	
	35					40					45				
	His	Gln	Gln	His		Gln	Gln	Gln	Gln		Lys	Arg	Gln	Arg	
	Ser	Glu	X 1 a	_											
			ΜŢΦ	Arg	GIN	GIn	Gln	Gln	Gln	Gln	Gln	Gln	Gln	Gln	
			ALG	Arg 70	GIN	GIn	Gln	Gln	Gln 75	Gln	Gln	Gln	Gln	Gln 80	
Gln	Gln		Gln	70				Gln	75				Ser	80	
Gln Ala		Gln	Gln 85	70 Gln	Gln	Gln	Ala	Gln 90	75 His	His	Ala	His	Ser 95	80 Thr	
	Gln Thr	Gln Arg 100	Gln 85 Pro	70 Gln Gln	Gln Pro	Gln Thr Thr	Ala Pro 105	Gln 90 Gln	75 His Gln	His Arg	Ala Pro Gly	His Pro 110	Ser 95 Gln	80 Thr Asn	
Ala Leu	Gln Thr 115	Gln Arg 100 Pro	Gln 85 Pro Ala	70 Gln Gln Ser	Gln Pro Thr	Gln Thr Thr 120	Ala Pro 105 Gly	Gln 90 Gln Ala	75 His Gln Ser	His Arg Val	Ala Pro Gly 125	His Pro 110 Pro	Ser 95 Gln Leu	80 Thr Asn Gln	
Ala	Gln Thr 115	Gln Arg 100 Pro	Gln 85 Pro Ala	70 Gln Gln Ser	Gln Pro Thr	Gln Thr Thr 120	Ala Pro 105 Gly	Gln 90 Gln Ala	75 His Gln Ser	His Arg Val	Ala Pro Gly 125	His Pro 110 Pro	Ser 95 Gln Leu	80 Thr Asn Gln	
Ala Leu Ala	Gln Thr 115 Tyr	Gln Arg 100 Pro	Gln 85 Pro Ala Val	70 Gln Gln Ser	Gln Pro Thr Leu 135	Gln Thr Thr 120 Ala	Ala Pro 105 Gly Ala	Gln 90 Gln Ala Arg	75 His Gln Ser	His Arg Val Ser 140	Ala Pro Gly 125 Pro	His Pro 110 Pro Ser	Ser 95 Gln Leu Thr	80 Thr Asn Gln Asn	
Ala Leu Ala 130	Gln Thr 115 Tyr	Gln Arg 100 Pro	Gln 85 Pro Ala Val	70 Gln Gln Ser	Gln Pro Thr Leu 135	Gln Thr Thr 120 Ala	Ala Pro 105 Gly Ala	Gln 90 Gln Ala Arg	75 His Gln Ser	His Arg Val Ser 140	Ala Pro Gly 125 Pro	His Pro 110 Pro Ser	Ser 95 Gln Leu Thr	80 Thr Asn Gln Asn	
	1890 aca Thr 5 gct Ala aaa Lys cct Pro 0> 3 1> 19 2> PP 3> No 0> 3 Ala Leu Ala Gln 50	aca acg Thr Thr gct ggt Ala Gly aaa agg Lys Arg cct cat Pro His 1955 0> 3 1> 1955 2> PRT 3> Neuros 0> 3 Ala Lys Leu Ser Ala Ser 35 Gln His 50	aca acg acg Thr Thr Thr gct ggt ggt Ala Gly Gly aaa agg ggt Lys Arg Gly 1940 cct cat tag Pro His 1955 0> 3 1> 1955 2> PRT 3> Neurospora 0> 3 Ala Lys Leu Leu Ser Ser 20 Ala Ser Ala 35 Gln His Gln 50	aca acg acg aga Thr Thr Thr Arg gct ggt ggt gct Ala Gly Gly Ala	aca acg acg aga ggg Thr Thr Thr Arg Gly 5 1910 gct ggt ggt gct ggt Ala Gly Gly Ala Gly 1925 aaa agg ggt ggt gga Lys Arg Gly Gly Gly 1940 cct cat tag Pro His 1955 0> 3 1> 1955 2> PRT 3> Neurospora crassa 0> 3 Ala Lys Leu Ser Val 5 Leu Ser Ser Ser Thr 20 Ala Ser Ala Lys His 35 Gln His Gln Gln His 50	aca acg acg aga ggg gga Thr Thr Thr Arg Gly Gly 5 1910 gct ggt ggt gct ggt ggt Ala Gly Gly Ala Gly Gly 1925 aaa agg ggt ggt gga ggt Lys Arg Gly Gly Gly 1940 cct cat tag Pro His 1955 0> 3 1> 1955 2> PRT 3> Neurospora crassa 0> 3 Ala Lys Leu Ser Val Lys 5 Leu Ser Ser Ser Thr Thr 20 Ala Ser Ala Lys His Gly 35 Gln His Gln Gln His Gln 50 55	aca acg acg aga ggg gga gga Thr Thr Thr Arg Gly Gly Gly 5 1910 gct ggt ggt gct ggt ggt gct Ala Gly Gly Ala Gly Gly Gly 1925 aaa agg ggt ggt gga ggt gga Lys Arg Gly Gly Gly Gly 1940 cct cat tag Pro His 1955 0> 3 1> 1955 2> PRT 3> Neurospora crassa 0> 3 Ala Lys Leu Ser Val Lys Asn 5 Leu Ser Ser Ser Thr Thr Gly 20 Ala Ser Ala Lys His Gly Ser 35 40 Gln His Gln Gln His Gln Gln 50 55	aca acg acg aga ggg gga gga tct Thr Thr Thr Arg Gly Gly Gly Ser 1910 gct ggt ggt gct ggt ggt gct ggt Ala Gly Gly Ala Gly 1925 aaa agg ggt ggt gga ggt gga gga Lys Arg Gly Gly Gly Gly Gly 1940 cct cat tag Pro His 1955 0> 3 1> 1955 2> PRT 3> Neurospora crassa 0> 3 Ala Lys Leu Ser Val Lys Asn Asn 5 Leu Ser Ser Ser Thr Thr Gly Ser 20 25 Ala Ser Ala Lys His Gly Ser Ala 35 40 Gln His Gln Gln His Gln Gln Gln 50	aca acg acg aga ggg gga gga tct gga Thr Thr Thr Arg Gly Gly Gly Ser Gly 5 1910 gct ggt ggt gct ggt ggt gct ggt gct Ala Gly Gly Ala Gly Ala Gly Ala 1925 1930 aaa agg ggt ggt gga ggt gga gga gga Lys Arg Gly Gly Gly Gly Gly Gly 1940 1945 cct cat tag Pro His 1955 0> 3 1> 1955 2> PRT 3> Neurospora crassa 0> 3 Ala Lys Leu Ser Val Lys Asn Asn Leu 5 10 Leu Ser Ser Ser Thr Thr Gly Ser Gly 20 25 Ala Ser Ala Lys His Gly Ser Ala Gly 35 40 Gln His Gln Gln His Gln Gln Gln Gln 50 55	aca acg acg aga ggg gga gga tct gga gct Thr Thr Thr Arg Gly Gly Gly Ser Gly Ala 5 1910 1915 gct ggt ggt gct ggt ggt gct ggt gct ggt Ala Gly Gly Ala Gly Gly Ala Gly 1925 1930 aaa agg ggt ggt gga ggt gga gga gga atg Lys Arg Gly Gly Gly Gly Gly Gly Gly Met 1940 1945 cct cat tag Pro His 1955 0> 3 1> 1955 2> PRT 3> Neurospora crassa 0> 3 Ala Lys Leu Ser Val Lys Asn Asn Leu Pro 5 10 Leu Ser Ser Ser Thr Thr Gly Ser Gly Ser 20 25 Ala Ser Ala Lys His Gly Ser Ala Gly Ser 35 40 Gln His Gln Gln His Gln Gln Gln Gln Gln	aca acg acg aga ggg gga gga tct gga gct ggg Thr Thr Thr Arg Gly Gly Gly Ser Gly Ala Gly 5 1910 1915 gct ggt ggt gct ggt ggt gct ggt gct ggt gct Ala Gly Gly Ala Gly Ala Gly Ala Gly Ala 1925 1930 aaa agg ggt ggt gga ggt gga gga gga atg gga Lys Arg Gly Gly Gly Gly Gly Gly Gly Met Gly 1940 1945 cct cat tag Pro His 1955 0> 3 Ala Lys Leu Ser Val Lys Asn Asn Leu Pro Arg 5 10 Leu Ser Ser Thr Thr Gly Ser Gly Ser Gly 20 25 Ala Ser Ala Lys His Gly Ser Ala Gly Ser Ser 35 40 Gln His Gln Gln His Gln Gln Gln Gln Gln Gln	1890 1895 1900 aca acg acg aga ggg gga gga tct gga gct ggg tct Thr Thr Thr Arg Gly Gly Gly Ser Gly Ala Gly Ser 5 1910 1915 gct ggt ggt gct ggt ggt ggt ggt ggt ggt	1890 1895 1900 1895 1900 1802 1803 1804 1805 1806 1806 1806 1807 1807 1808	aca acg acg aga ggg gga gga tct gga gct ggg tct aga gga Thr Thr Thr Arg Gly Gly Gly Ser Gly Ala Gly Ser Arg Gly 5 1910 1915 gct ggt ggt gct ggt ggt gct ggt gct ggt gct ggt gct gga Ala Gly Gly Ala Gly Gly Ala Gly Ala Gly Ala Gly Ala Gly 1925 1930 1935 aaa agg ggt ggt gga ggt gga gga gga atg gga ggg ata agt Lys Arg Gly Gly Gly Gly Gly Gly Gly Met Gly Gly Ile Ser 1940 1945 1950 cct cat tag Pro His 1955 0> 3 Ala Lys Leu Ser Val Lys Asn Asn Leu Pro Arg Pro His Leu 5 10 15 Leu Ser Ser Ser Thr Thr Gly Ser Gly Ser Gly Ser Ala Ser 20 25 30 Ala Ser Ala Lys His Gly Ser Ala Gly Ser Ser Thr Phe Asp 35 40 45 Gln His Gln Gln His Gln Gln Gln Gln Gln Lys Arg Gln 50 55 60	aca acg acg aga ggg gga gga tct gga gct ggg tct aga gga ggc Thr Thr Thr Arg Gly Gly Gly Ser Gly Ala Gly Ser Arg Gly Gly 5 1910 1915 1920 gct ggt ggt gct ggt ggt gct ggt gct ggt gct ggt gct gga gga Ala Gly Gly Ala Gly Gly Ala Gly Ala Gly Ala Gly Ala Gly Ala Gly Gly 1925 1930 1935 aaa agg ggt ggt gga ggt gga gga gga atg gga ggg ata agt gtt Lys Arg Gly Gly Gly Gly Gly Gly Gly Met Gly Gly Ile Ser Val 1940 1945 1950 cct cat tag Pro His 1955 0> 3 Ala Lys Leu Ser Val Lys Asn Asn Leu Pro Arg Pro His Leu Val 5 10 15 Leu Ser Ser Ser Thr Thr Gly Ser Gly Ser Gly Ser Ala Ser Arg 20 25 30 Ala Ser Ala Lys His Gly Ser Ala Gly Ser Ser Thr Phe Asp His 35 40 45 Gln His Gln Gln His Gln Gln Gln Gln Gln Lys Arg Gln Arg

				165	i				170)				175	i
Ile	Val	Asp	Asp	Asp	Ile	Phe	Ser	Asp	Ala	. Val	Asp	Leu	Thr	Glu	Glu
			180					185					190)	
Leu	Asp	His	Asp	His	Asp	Leu	Asn	Gly	Lys	Asp	Lys	Asp	Asn	Thr	Asp
		195					200					205			_
Asn	Asp	Asn	Thr	Val	Ala	Ser	Ser	Ser	Leu	Ile	Gly	Phe	Gly	Asp	Asp
	210					215					220		_	•	-
Lys	Leu	Leu	Trp	Arg	Glu	Asp	Phe	Ala	Glu	Arg	Ala	Glu	Pro	Glu	His
225					230					235					240
Glu	Arg	Gly	Gly	Ser	Arg	Pro	Arg	Gln	Val	Lys	Lys	Arg	Lys	Ile	Ser
				245					250				_	255	
Asn	Asp	Tyr	Ile	Met	Lys	Asp	Glu	Asp	Val	Ser	Leu	Phe	Asp	Asp	Asp
			260					265					270	·	•
Gly	Glu	Glu	Asp	Glu	Phe	Met	Asp	Ile	Asn	Glu	Leu	Val	Gln	Gly	Asp
		275					280					285		-	•
Arg	Glu	Ser	Thr	Pro	Lys	Pro	Lys	Ala	Thr	Ser	Arg	Ser	Val	Ser	Thr
	290					295			•		300				
Arg	Leu	Pro	Pro	Thr	Val	Ser	Leu	Gln	Arg	Gly	Arg	Ser	Pro	Lys	Arg
305					310					315					320
Lys	Glu	Ala	Ser	Val	Glu	Lys	Arg	Thr	Thr	Glu	Asn	Gln	Gln	Gln	Ala
				325					330					335	
Asp	Arg	Glu	Asp	Glu	Pro	Ser	Phe	Met	Ser	Ser	Pro	Asp	Val	Asp	Asn
			340					345					350		
Ser	Arg	Lys	Arg	Lys	Ser	Ser	Gly	Ser	Pro	Thr	Gly	Leu	Thr	Thr	Pro
		355					360					365			
Arg	Pro	Gln	Gln	Lys	Gln	Thr	Glu	Glu	Val	Pro	Gly	Thr	Thr	Thr	Ala
	370					375					380				
Lys	Lys	Pro	Arg	Arg	Ser	Glu	Val	Met	Asp	Ser	Glu	Asp	Glu	Ala	Phe
385					390					395					400
Thr	Pro	Leu	Ser	Ala	Gly	Ser	Leu	Pro	Gly	Ser	Ala	Glu	Phe	Phe	Arg
				405					410					415	
Ser	Gly	Gly	Thr	Thr	Thr	Arg	Glu	Leu	Gly	Leu	Asp	Glu	Asp	Thr	Val
			420					425					430		
Met	Asp		Pro	Ser	Arg	Ьċо		Val	Glu	Ser	Thr	Leu	Pro	Thr	Leu
	_	435					440					445			
Glu		Val	Glu	Ser			Pro	Pro	Leu	Pro	Pro	Met	Asp	Leu	Pro
_	450	_				455					460				
	Gin	Arg	Lys	Pro		Glu	Pro	Leu	Asn		Pro	Arg	Asn	Gln	Leu
465					470					475					480
Leu	Glu	Ser			Arg	Pro	Thr	Gln		Pro	Ser	Val	Gly	Pro	Ser
				485					490					495	
rne	АТа	GIn		Ser	Thr	Leu	Ala		Ser	Ser	Leu	Pro		Ser	Met
_	_	_	500					505					510		
rro			Ser	GLu	Asp			Asn	Thr	Arg	Glu		Ser	Asn	Leu
G1 ···		515		_	_		520					525			
GIU		rne	Asp	Tyr			Tyr	Lys	Pro	Leu	Leu	Asp	Leu	Phe	Val
D ===	530	D	• •	-1		535					540				
asn	urg	rro	мта	тте	ьeu	GLU	Arq	Glu	Leu	Ser	Ala	Val	Asn	Asp	Glu

545					550)				555	i				560
Leu	Gln	Glu	. Asn	Met 565		Lys	s Leu	Arg	Asp 570		Leu	Arç	, Leu	Pro 575	-
Glu	Glu	Arg	Asp 580		Ala	Arg	g Glu	Glu 585		. Lys	Lys	Glu	Lys 590		Met
Leu	Lys	Arg 595	Arg	Asp	Ile	Ala	Leu 600		Ala	Leu	Gln	Asp 605		His	Lys
Leu	Tyr 610		Lys	Lys	Arg	Lys 615		His	Asn	Leu	Ile 620	Asn	Glu	Glu	Ile
Val 625		Ala	Tyr	Ala	Glu 630		Asp	Asp	Glu	Tyr 635		Asp	Gln	Leu	Met 640
Ala	Gln	Leu	Asp	Lys 645		Asp	Asp	Glu	Val 650		Ala	Ile	Val	Lys 655	
Leu	Thr	Arg	Leu 660	Ile	Val	Ala	Ala	Gly 665			Glu	Lys	Ser 670		
Leu	Lys	Lys 675	Glu	Glu	Glu	Glu	Glu 680		Glu	Lys	Pro	Ile 685		Ile	Ala
Thr	Pro 690		Pro	Ser	Thr	Arg 695	Thr	Glu	Ala	Pro	Val 700		Pro	Thr	Thr
Glu 705		His	Asn	Ser	Gln 710			Ile	Leu	Gln 715		Gln	His	Pro	Ala 720
Ala	Gln	Gln	Val	Ser 725	His	Arg	Val	Pro	Pro 730	Pro	Pro	Thr	Pro	Ser 735	
Gln	Thr	Ala	Arg 740	Gln	Thr	Pro	Val	Ser 745	Tyr	Gln	Ser	Arg	Pro 750		Asn
Asn	Ser	Phe	Pro	Asp	Ile	Ser	Ala 760	Glu	Glu	Ala	Met	Met 765	Phe	Asp	Lys
Glu	Asp 770	Pro	Phe	Met	Glu	Gln 775	Gln	His	Ala	Pro	Ala 780		Ala	Pro	Phe
Gln 785	Ala	Thr	Leu	Pro	Gln 790	Arg	Asn	Ser	Pro	Phe		Thr	Ala	Pro	Phe
	Pro	Val	His		His		Tyr			Asp	Glu		_	Asp 815	Ala
Asp	Leu	Leu	Ala 820	Ala	Val	Asp	Ser								
Ala	Thr	Thr 835	Thr	Thr	Asn	Asn	Asn 840		His	Leu	Arg	Ser 845		Ser	Val
Met	Ser 850		Ser	Thr	Ala	Thr 855		Ile	Lys	Pro	Arg 860		Arg	Asn	Glu
Asn 865		Asn	Ala	Lys	Lys 870		Lys	Ser	Val	His 875		Lys	Leu	Ser	Met 880
	Pro	Glu	Lys	Met 885		Tyr	Ala	Trp	Ser 890		Asp	Val	Arg	Lys 895	
Leu	Lys	Asp	Arg 900		Arg	Met	Ser	Gly 905		Arg	Gln	Asn	Gln 910		Glu
Ala	Ile	Asn 915	Ala	Thr	Leu	Gly	Gly 920		Asp	Ala	Phe	Val 925		Met	Pro
Thr	Gly		Gly	Lys	Ser	Leu		Tyr	Gln	Leu	Pro		Val	Val	Arg

	930					935					940				
Ser	Gly	Lys	Thr	Arg	Gly	Ile	Thr	Val	Val	Ile	Ser	Pro	Leu	Leu	Ser
945					950					955					960
Leu	Met	Leu	Asp	Gln	Val	Asn	His	Leu	Ala	Asn	Leu	Met	Ile	Gln	Ala
				965					970					975	
Tyr	Ala	Phe	Asn	Gly	Asp	Met	Asn	Ser	Glu	Met	Arg	Arg	Met	Val	Phe
			980					985					990		
Gln	Lys	Leu	Asp	Ala	Glu	His	Pro	Glu	His	Glu	Leu	Gln	Leu	Leu	Tyr
		995		•		:	1000					1005			
Val	Thr	Pro	Glu	Met	Val	Ser	Lys	Asn	Gln	Thr	Phe	Val	Asn	Lys	Met
1	1010				:	1015					1020				
Met	Asp	Leu	Tyr	Arg	Arg	Lys	Lys	Leu	Ala	Arg	Ile	Val	Ile	Asp	Glu
1025	5				1030					1035				;	1040
Ala	His	Cys	Val	Ser	Gln	Trp	Gly	His	Asp	Phe	Arg	Pro	Asp	Tyr	Lys
				1045					1050				:	1055	
Ala	Ile	Gly	Glu	Phe	Arg	Lys	Arg	Phe	Pro	Gly	Val	Pro	Val	Met	Ala
			1060					1065					L070		
Leu	Thr	Ala	Thr	Ala	Thr	Gln	Asn	Val	Ile	Leu	Asp	Val	Lys	His	Asn
		1075					1080					1085			
Leu	Ala	Met	Glu	Asp	Cys	Gln	Thr	Phe	Ser	Gln	Ser	Phe	Asn	Arg	Pro
	1090					1095					100				
		Tyr	Tyr	Glu	Val	Arg	Met	Lys	Glu	Gln	Asn	Leu	Ile	Ala	Arg
1105					1110					1115					120
Ile	Ala	Glu			Lys	Glu	Lys	Tyr	Asp	Gly	Gln	Thr	Gly	Ile	Ile
				1125					L130					135	
Tyr	Thr			Arg	Lys	Ser			Asn	Ile	Ala	Lys	Asn	Leu	Gln
	_		1140					145					.150		
Glu			Arg	Ile	Lys			His	Tyr	His			Ile	Thr	Thr
_		155		_			160					165			
		Lys	Ile				His	Glu	Trp	Gln		Gly	Arg	Val	Lys
_	.170	••- 1				175					.180	_	_		
		vaı	Ата			Ala	Phe	GIA		Gly	Ile	Asp	Lys		_
1185		5 1.			190	~ 1				195	_				200
vaı	Arg	rne			HIS	GIN	His			Lys	Ser	Leu		_	Tyr
W	C1-	C1		205	3	21-	G1		.210	~ 1	_	_		215	_
Tyr	GIN			GIY	Arg	Ата			Asp	Gly	ГÀЗ			Asp	Cys
Т	Y a		220	21.	7 10.000	C1		.225	6 1 -	•	_		230		
ıyı			Pne	ALG	Tyr			TTE	GIN	Ser			Arg	Met	Ile
71-		.235	C1	C1	· 7		240	C1	*	G1		245	_	6 3	
	.250	сту	GIU	GIÀ		255	Ата	GIN	гÀ2	Glu	_	GIN	Leu	GIN	Met
		7~~	Val	Wal			C	C1	C	•	260	m	.		
1265		vrd	val		Ser .270	TÄE	Cys	GIU		Gln	nlS	inr	cys		_
		U o 1	Len			Dha	C1	C1		.275	N ==	m	N		280
JIU	JIU	4 G T		.285	TAT	FIIG	ату		.290	Phe	изр	ıyr	_	_	cys
Δτα	Acn	Glv			Δαη	Cue	Δr~			Arg	T) a	So-		295	m⊾
****	· wp		.300	nap	110.51	cys		305	ату	wid	тте		Lys 310	ser	iul
Glu	Met			Phe	Thr	Glu			Phe	د ۱ ۵	Δ1=			Va 3	Val
		7							- 110		* *** **	TTC .	ULU	v a r	v all

		1315					1320					1325			
Lys	Ser	Gln	Gln	Pro	Ile	Thr	Leu	Gly	Lys	Leu	Cys	Asp	Ile	Leu	Met
	1330					1335			•		1340				
		Arg	Lys	Asn			Gly	Gly	Val	Cys	His	Phe	Gly	Ile	Ala
1345					1350					1355					1360
Lys	Gly	Ser	Thr	Gln		Glu	Leu				Val	Leu	Gln	Leu	Asr
				1365					1370					1375	
Phe	His	Lys		Leu	Gly	Glu				Met	Asn				Met
_			1380					1385					1390		
Pro				Tyr	Ile				Glu	Ala			Tyr	Leu	Туг
		1395 -		_			1400		_			1405			
		ьуs	Arg	Leu				Val	Pro			Lys	Ser	Val	Glu
	1410	C	N	0		1415		G	3		1420	_		_	
1425		Ser	Arg	Ser		GIN	Arg	Ser			Val	Asp	Glu	_	
		Cln	C1		1430	m b	T 0.1	C1-		1435	D	m la co			1440
мэр	GIU	GIII		Leu 1445	ser	Inr	Leu		Arg 1450	PIO	Pro	Inr			Asn
Val	Sor	Ser		Val	Ara	בות	Thr			7~~	S = ==	C		1455	.
Val	561		1460		ALG	на		БуЗ 1465	гуу	Arg	ser		Lys 1470	гÀг	ATA
Leu	Pro			Ile	Δla	Asp			Glu	Pro	Sar			Clu	Dwo
204		1475	Deu	110	7124		1480	0.10	OLU	110		1485	Asp	СТУ	PIO
His			Leu	His	Ala			Tvr	Glu	Ara			Phe	Val	V=1
	490					1495	1	-] -			1500		1110	Val	491
Ser	Asp	Asn	Val	Glu			Glu	Glu	Glu			Phe	Glu	Pro	Val
1505					1510					1515					1520
Arg	Pro	Ser	Arg	Arg	Gly	Pro	Ser	Ser	Arg	Ala	Thr	Arg	Pro		
				1525					1530			_		1535	
Arg	Gln	Thr	Thr	Leu	Tyr	Asp	Thr	Leu	Ser	His	Thr	Gln	Gln	Ser	Gln
		:	1540				1	1545				1	1550		
Thr	Val	Ser	Gln	His	Leu	Ala	Thr	Leu	Gly	Pro	Pro	Ile	Asp	Ala	Arg
	1	1555				1	1560				1	.565			
Thr	Met			Pro									His	Gln	Asp
	570														
		Asp	Ala	Phe		Glu	Glu	Val	Lys	Val	Phe	Glu	Glu	Asp	Phe
1585					1590					1595					L600
Arg	Asn	Arg		His	Met	Arg	Lys			Phe	Thr	Glu			Tyr
_				1605		_			610					615	
Arg	Glu			Ile	Arg	Trp			Ser	Leu	Asp			Arg	Ala
_,	_		1620	_		_		1625					.630		
He			He	Asn	GIn			Val	Asp	Arg			Ala	Lys	Phe
-1.		.635					640		_	_		645			_
		Leu	vaı	Glu			Trp	GLy	Asn			Glu	Met	Met	Gly
	650	Ф		3		.655	••- •	- 1	~ 1		660	_	_	_	
сту 1665		TÀL	ASP	Asn 1	670	wrg	val	нта			GLU	Asp	Asp		
		Ar~	A-~			Acr	C1	T		675	7	T	T		.680
OTA	-10	ary		Thr 1685	эту	กอแ	ату		690 GIY	сту	ASN	ьys	_	_	стЛ
Glv	Glv	Glv		Glv	Asn	Glu	Va I			Lan	Tla	Sa~		695 055	C1

			1700					1705					1710		
Asp	Glu	Pro	Pro	Ala	Arg	Ala	Pro	Ser	Arg	Asn	Ala	Gly	Arg	Gly	Lys
		1715					1720					1725			
Ala	Gln	Ser	Thr	Arg	Gly	Gly	Gln	Ile	Gln	Asp	Lys	Gly	Arg	Ala	Val
	1730					1735					1740				
Asn	Arg	Arg	Gly	Glu	Pro	Ile	Ala	Glu	Glu	Asp	Glu	Glu	Asp	Tyr	Gly
1745	5				1750					1755					1760
Leu	Ser	Asp	Pro	Asp	Ile	Asp	Ala	Ile	Asp	Pro	Asp	Ala	Ile	Thr	Ala
			:	1765					1770				:	1775	
Ser	Asp	Asn	Ser	Asp	Glu	Glu	Asp	Asp	Asp	Asp	Asp	Asp	Glu	Asp	Leu
		:	L780				1	1785				:	1790		
Glu	Ser	Ser	Arg	Tyr	Phe	Ser	Gly	Ser	Thr	Gly	Pro	Pro	Val	Ser	Lys
		1795					1800					1805			
Ala	Val	Gln	Asp	Ala	Arg	Leu	Arg	Glu	Gln	Leu	Ser	Met	Tyr	Ala	Ser
	1810				_	1815					1820				
Gly	Gly	Ser	Ser	Ser	Lys	Gly	Ser	Tyr	Gly	Ser	Gly	Arg	Ala	Ser	Gly
1825	5				1830				1	1835				1	1840
Gly	Ser	Ser	Ser	Arg	Ala	Ser	Gly	Ser	Gly	Trp	Arg	Gly	Gly	Gly	Ala
			1	L845				:	1850				1	855	
Gly	Gly	Lys	Lys	Tyr	Tyr	Arg	Lys	Lys	Arg	Ala	Gly	Ser	Ser	Ala	Ala
		1	860				1	.865				1	.870		
Gly	Gly	Gly	Gly	Ala	Gly	Gly	Gly	Gly	Val	Thr	Lys	Arg	Lys	Ala	Ser
	1	L875				1	1880				1	.885			
Gly	Ser	Gly	Ala	Lys	Thr	Ala	Arg	Lys	Arg	Gly	Ala	Ser	Thr	Ala	Pro
1	.890				1	1895				1	900				
Lys	Thr	Thr	Thr	Arg	Gly	Gly	Gly	Ser	Gly	Ala	Gly	Ser	Arg	Gly	Gly
1905	5			1	1910				1	915				1	920
Gly	Ala	Gly	Gly	Ala	Gly	Gly	Ala	Gly	Ala	Gly	Ala	Gly	Ala	Gly	Gly
				925				•	.930					935	
Gly	Lys	Arg	Gly	Met	Gly	Gly	Ile	Ser	Val						
		1	940				1	945				1	950		
Met	Pro	His													
	1	.955						,							

PCT/IT 99/00391 CLASSIFICATION OF SUBJECT MATTER PC 7 C12N15/31 C12N IPC 7 C12N15/63 C12N15/67 C12N15/70 C12N15/74 C12N15/80 C12N15/82 C12N15/85 C12N15/11 C12N9/90 C12N1/19 C12N1/21 C12N5/10 C07K14/37 A01K67/027 According to International Patent Classification (IPC) or to both national classification and IPC **B. FIELDS SEARCHED** Minimum documentation searched (classification system followed by classification symbols) IPC 7 C12N C07K AQ1K Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practical, search terms used) C. DOCUMENTS CONSIDERED TO BE RELEVANT Citation of document, with indication, where appropriate, of the relevant passages Category ° Relevant to claim No. X WO 97 17979 A (NEW YORK BLOOD CENTER INC) 1,2,7, 22 May 1997 (1997-05-22) 10,11, 16, 18, 19 47.2% identity in 439 aa overlap with amino acids 897-1330 of SegIdNo.3 -& DATABASE GENESEQ X 1,2,18, EBI, Hinxton, U.K. 19 Accession Number: W31551, 27 January 1998 (1998-01-27) ELLIS N ET AL: "Bloom's syndrome BLM mutated protein" XP002136373 47.2% identity in 439 aa overlap with amino acids 897-1330 of SegIdNo.3 abstract -/--X Further documents are listed in the continuation of box C. X Patent family members are listed in annex. Special categories of cited documents: later document published after the international filling date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international "X" document of particular relevance; the claimed invention filing date cannot be considered novel or cannot be considered to "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention citation or other special reason (as specified) cannot be considered to involve an inventive step when the "O" document referring to an oral disclosure, use, exhibition or document is combined with one or more other such docu other means ments, such combination being obvious to a person skilled document published prior to the international filing date but later than the priority date claimed "&" document member of the same patent family Date of the actual completion of the international search Date of mailing of the international search report 25 April 2000 11/05/2000 Name and mailing address of the ISA Authorized officer European Patent Office, P.B. 5818 Patentlaan 2

Lonnoy, 0

NL - 2280 HV Rijswijk

Fax: (+31-70) 340-3016

Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,

COGONI C ET AL: "Isolation of quelling-defective (qde) mutants impaired in posttranscriptional transgene-induced gene silencing in Neurospora crassa" PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF USA., vol. 94, no. 19, 16 September 1997 (1997-09-16), pages 10233-10238, XP002136370 cited in the application table 2 LINDEN H ET AL: "White collar 2, a partner in blue-light signal transduction, controlling expression of light-regulated genes in Neurospora crassa" EMBO JOURNAL., vol. 16, no. 1, 2 January 1997 (1997-01-02), pages 98-109, XP002136371 page 99, column 1, paragraph 3 -page 100, column 1, paragraph 2 SHERMAN J M ET AL: "An uncertain silence" TRENDS IN GENETICS, NL, ELSEVIER SCIENCE PUBLISHERS B.V. AMSTERDAM, vol. 13, no. 8, 1 August 1997 (1997-08-01), pages 308-313, XP004084604 ISSN: 0168-9525	0.10	MAN DOCUMENTO CONCIDENCE TO SE DEL TIMATE	101/11 33/	00331
COGONI C ET AL: "Isolation of quelling-defective (qde) mutants impaired in posttranscriptional transgene-induced gene silencing in Neurospora crassa" PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF USA., vol. 94, no. 19, 16 September 1997 (1997–09–16), pages 10233–10238, XF002136370 cited in the application table 2 LINDEN H ET AL: "White collar 2, a partner in blue-light signal transduction, controlling expression of light-regulated genes in Neurospora crassa" EMBO JOURNAL, vol. 16, no. 1, 2 January 1997 (1997–01–02), pages 98–109, XF002136371 page 99, column 1, paragraph 3 -page 100, column 1, paragraph 2 SHERMAN J M ET AL: "An uncertain silence" TRENDS IN GENETICS, NL, ELSEVIER SCIENCE PUBLISHERS B.V. AMSTERDAM, vol. 13, no. 8, 1 August 1997 (1997–08–01), pages 308–313, XF004084604 ISSN: 0168–9525 COGONI C ET AL: "Quelling: transgene-induced gene silencing in Neurospora crassa" MATO ADVANCED STUDY INSTITUTE SERIES, SERIES H CELL BIOLOGY, vol. 104, 1998, pages 103–112, XF000906708 COGONI C AND MACINO G: "Posttranscriptional gene silencing in Neurospora by a RecO DNA helicase" SCIENCE, vol. 286, no. 5448, 17 December 1999 (1999–12–17), pages 2342–2344, XF002136372	C.(Continua Category *		Ta	Relevant to daim No.
quelling-defective (qde) mutants impaired in posttranscriptional transgene-induced gene silencing in Neurospora crassa" PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF USA., vol. 94, no. 19, 16 September 1997 (1997-09-16), pages 10233-10238, XP002136370 citted in the application table 2 LINDEN H ET AL: "White collar 2, a partner in blue-light signal transduction, controlling expression of light-regulated genes in Neurospora crassa" EMBO JOURNAL., vol. 16, no. 1, 2 January 1997 (1997-01-02), pages 98-109, XP002136371 page 99, column 1, paragraph 3 -page 100, column 1, paragraph 2 SHERMAN J M ET AL: "An uncertain silence" TRENDS IN GENETICS, NL, ELSEVIER SCIENCE PUBLISHERS B. V. AMSTERDAM, vol. 13, no. 8, 1 August 1997 (1997-08-01), pages 308-313, XP004084604 ISSN: 0168-9525 COGONI C ET AL: "Quelling: transgene-induced gene silencing in Neurospora crassa" NATO ADVANCED STUDY INSTITUTE SERIES, SERIES H CELL BIOLOGY, vol. 104, 1998, pages 103-112, XP000906708 COGONI C AND MACINO G: "Posttranscriptional gene silencing in Neurospora by a RecQ DNA helicase" SCIENCE, vol. 286, no. 5448, 17 December 1999 (1999-12-17), pages 2342-2344, XP002136372				iorovani w daim NO.
partner in blue-light signal transduction, controlling expression of light-regulated genes in Neurospora crassa" EMBO JOURNAL., vol. 16, no. 1, 2 January 1997 (1997-01-02), pages 98-109, XP002136371 page 99, column 1, paragraph 3 -page 100, column 1, paragraph 2 SHERMAN J M ET AL: "An uncertain silence" TRENDS IN GENETICS,NL,ELSEVIER SCIENCE PUBLISHERS B.V. AMSTERDAM, vol. 13, no. 8, 1 August 1997 (1997-08-01), pages 308-313, XP004084604 ISSN: 0168-9525 COGONI C ET AL: "Quelling: transgene-induced gene silencing in Neurospora crassa" NATO ADVANCED STUDY INSTITUTE SERIES, SERIES H CELL BIOLOGY, vol. 104, 1998, pages 103-112, XP000906708 COGONI C AND MACINO G: "Posttranscriptional gene silencing in Neurospora by a RecQ DNA helicase" SCIENCE., vol. 286, no. 5448, 17 December 1999 (1999-12-17), pages 2342-2344, XP002136372	Y	quelling-defective (qde) mutants impaired in posttranscriptional transgene-induced gene silencing in Neurospora crassa" PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF USA., vol. 94, no. 19, 16 September 1997 (1997-09-16), pages 10233-10238, XP002136370 cited in the application		1-23
TRENDS IN GENETICS,NL,ELSEVIER SCIENCE PUBLISHERS B.V. AMSTERDAM, vol. 13, no. 8, 1 August 1997 (1997-08-01), pages 308-313, XP004084604 ISSN: 0168-9525 COGONI C ET AL: "Quelling: transgene-induced gene silencing in Neurospora crassa" NATO ADVANCED STUDY INSTITUTE SERIES, SERIES H CELL BIOLOGY, vol. 104, 1998, pages 103-112, XP000906708 COGONI C AND MACINO G: "Posttranscriptional gene silencing in Neurospora by a RecQ DNA helicase" SCIENCE., vol. 286, no. 5448, 17 December 1999 (1999-12-17), pages 2342-2344, XP002136372	Y .	partner in blue-light signal transduction, controlling expression of light-regulated genes in Neurospora crassa" EMBO JOURNAL., vol. 16, no. 1, 2 January 1997 (1997-01-02), pages 98-109, XPO02136371 page 99, column 1, paragraph 3 -page 100,		1-23
transgene-induced gene silencing in Neurospora crassa" NATO ADVANCED STUDY INSTITUTE SERIES, SERIES H CELL BIOLOGY, vol. 104, 1998, pages 103-112, XP000906708 COGONI C AND MACINO G: "Posttranscriptional gene silencing in Neurospora by a RecQ DNA helicase" SCIENCE., vol. 286, no. 5448, 17 December 1999 (1999-12-17), pages 2342-2344, XP002136372	A	TRENDS IN GENETICS,NL,ELSEVIER SCIENCE PUBLISHERS B.V. AMSTERDAM, vol. 13, no. 8, 1 August 1997 (1997-08-01), pages 308-313, XP004084604		
"Posttranscriptional gene silencing in Neurospora by a RecQ DNA helicase" SCIENCE., vol. 286, no. 5448, 17 December 1999 (1999-12-17), pages 2342-2344, XP002136372	A.	transgene-induced gene silencing in Neurospora crassa" NATO ADVANCED STUDY INSTITUTE SERIES, SERIES H CELL BIOLOGY,		
	F -	"Posttranscriptional gene silencing in Neurospora by a RecQ DNA helicase" SCIENCE., vol. 286, no. 5448, 17 December 1999 (1999-12-17), pages 2342-2344, XP002136372		1-24

Information on patent family members

PCT/IT 99/00391

					737 00331
Patent document cited in search report		Publication date		atent family member(s)	Publication date
WO 9717979	Α	22-05-1997	US CA	5824501 A 2237356 A	20-10-1998
			EP	0862442 A	22-05-1997 09-09-1998